HITPOINT

TEL:8862-26013311 FAX:8862-26013898

NO.4 Lane 505, Zhongzheng Rd,. Linkou Shiang, Taipei, Taiwan 24445 . R.O.C

Piezo Electric Sounder

PT-3110WQ

(RoHS)

DATE:2009.05.11

1. Electrical Characteristics

VER.3

| Resonant Frequency (KHz) | 1.1 G 0.5 | |
|-------------------------------|-----------------------------|--|
| Operating Voltage (Vp-p/max) | 30 | |
| Rated Voltage (Vp-p) | 5.0 | |
| Current Consumption (mA/max) | 2.0 at Rated Voltage | |
| Sound Pressure Level (dB/min) | 85 at 10cm at Rated Voltage | |
| Capacitance (pF) | 48,000 ± 30% at 120 Hz | |
| Operating Temperature (°C) | -20 ~ +70 | |
| Storage Temperature (°C) | -30 ~ +80 | |

PS: Vp-p=1/2duty, square wave

2 . Typical Frequency Response Curve





3 . Dimensions and Material

3-1 Shape



Unit:mm

3-2 Material

| Housing | ABS 777D UL94HB plastic resin (Color : Black) |
|---------------|---|
| Leading Wire | 28AWG (Red+Black) |
| Weight (Gram) | 5.6 |

HITPOINT TEL:8862-26013311 FAX:8862-26013898

NO.4 Lane 505, Zhongzheng Rd,. Linkou Shiang, Taipei, Taiwan 24445 . R.O.C

4. TESTING METHOD

· Standard Measurement conditions

Temperature:25 \pm 2 C Humidity:45-60%

· Acoustic Characteristics

The oscillation frequency, current consumption and sound pressure are measured by the measuring instruments shown below.



METER

FUNCTION GENERATOR



5. RELIABILITY

| ITEMS | METHOD OF TEST AND MEASUREMENTS | PERFORMANCE |
|--------------|--|----------------|
| Coldness | After 98 hours of being exposed to -30 ${\mathcal C}$ environment, | No abnormality |
| withstanding | should be returned to normal environment for 2 hours, | shall exist |
| | then re-proceed to test. | |
| Hotness | After 98 hours of being exposed to +80 ${}^{\circ}\!\!{}^{\circ}$ environment, | No abnormality |
| withstanding | should be returned to normal environment for 2 hours, | shall exist |
| | then re-proceed to test. | |
| Humidity | After 98 hours of being exposed to 40 ${}^{\circ}_{ m C}$ 95%RH | No abnormality |
| withstanding | environment in actual operation, should be returned to | shall exist |
| | normal environment for 2 hours, then re-proceed to test. | |
| Durability | Testing after 1,000 hours actual continuous operation. (at | No abnormality |
| | standard measurement conditions) | shall exist |
| Drop | A natural drop from 75cm high down to the ground. | No abnormality |
| withstanding | | shall exist |
| Vibration | Vibration of 2,000 cycles per minute, 2mm amplitude, | No abnormality |
| withstanding | applied in X, Y and Z directions for | shall exist |
| | 30 minutes each. | |



6. PACKAGE METHOD

 $<\!1\!>$ 200pcs per box , Total 10 boxes per carton , total 2000pcs carton; Volume: L*W*H=520*335*290mm

 $<2>\!N$. W . : ; 12.5KGS ; G . W . : 13.5GS ;

< 3 >RoHS Mark