

## Piezo Electric Buzzer

### PF-21N30PQ

(RoHS)


DATE:2009.07.05

### **1** . Electrical Characteristics

VER .:2

Oscillation Frequency (KHz)	3.0 ±0.5	
Operating Voltage (Vdc)	3 ~ 30	
Rated Voltage (Vdc)	12	
Current Consumption (mA/max.)	12 at Rated Voltage	
Sound Pressure Level (dB/min.)	80 at 30cm at Rated Voltage	
Tone/Pulse Rate (Hz)	Fast Pulse 3.0 ±20% at Rated Voltage	
Operating Temperature ( $^{\circ}$ C)	-20 ~ +90	
Storage Temperature (°C)	-30 ~ +100	
Condition by wave ( $^{\circ}$ C)	260±5°C / within 5sec	
Condition by hand ( $^{\circ}C$ )	350±20°C / within 5sec	

### 2 . Voltage/ Current / Sound Pressure



# HITPOINT TEL:8862-26013311 FAX:8862-26013898 NO.4 Lane 505, Zhongzheng Rd, Linkou Shiang, Taipei, Taiwan 24445 . R.O.C 3 . Dimensions and Material 3-1 Shape

 $8.5 \pm 0.5$ 

Unit : mm

00

### **3-2 Material**

 $9.5 \pm 0.2$ 

Housing	ABS 777D UL94HB plastic resin (Color : Black)
Leading Pin	Tin Plated Brass
Weight (Gram)	3.2

### HITPOINT

TEL:8862-26013311 FAX:8862-26013898

NO.4 Lane 505, Zhongzheng Rd,. Linkou Shiang, Taipei, Taiwan 24445 . R.O.C


### 4. TESTING METHOD

#### · Standard Measurement conditions

Temperature:25±2 °C Humidity:45-60%


### · Acoustic Characteristics

The oscillation frequency, current consumption and sound pressure are measured by the measuring instruments shown below.



### **5. RELIABILITY**

ITEMS	METHOD OF TEST AND MEASUREMENTS	PERFORMANCE
Coldness	After 98 hours of being exposed to -30 $^{\circ}\!C$	No abnormality
withstanding	environment, should be returned to normal	shall exist
	environment for 2 hours, then re-proceed to test.	-
Hotness	After 98 hours of being exposed to +100 $^\circ\!C$	No abnormality
withstanding	environment, should be returned to normal	shall exist
	environment for 2 hours, then re-proceed to test.	
Humidity	After 98 hours of being exposed to 40 $^\circ\!\!C$ 95%RH	No abnormality
withstanding	environment in actual operation, should be	shall exist
	returned to normal environment for 2 hours, then	
	re-proceed to test.	
Durability	Testing after 1,000 hours actual continuous	No abnormality
	operation.(at standard measurement conditions)	shall exist
Drop	A natural drop from 75cm high down to the	No abnormality
withstanding	ground.	shall exist
Vibration	Vibration of 2,000 cycles per minute, 2mm	No abnormality
withstanding	amplitude, applied in X, Y and Z directions for 30	shall exist
	minutes each.	



#### 6. PACKAGE METHOD

 $<\!1\!>$  250pcs per box , Total 10 boxes per carton , total 2500pcs carton; Volume: L\*W\*H=520\*335\*290mm

< 2>N . W . : 8.0KGS ; G . W . : 10.0KGS ;

< 3 > RoHS Mark: