

PDF. No**CH3101T****Rev. 025**


ECN No : ECNT114123

Date : 2015/1/23



瀚荃股份有限公司
CviLux Corporation

**CH31 Series V Type Pin Length Option
Code List Table For DWG No. : CH3101S*
& CH3152S* & CH3191A***



CVILUX CORP
2015.01.23
ISSUED

Option Code	Dimension		Option Code	Dimension	
	C	D		C	D
00	6.00(.236)	3.00(.118)	25	3.00(.118)	3.00(.118)
01	6.26(.246)	3.00(.118)	26	18.29(.720)	2.79(.110)
02	5.86(.231)	3.00(.118)	27	2.50(.098)	3.50(.138)
03	8.86(.349)	3.00(.118)	28	8.56(.337)	3.10(.122)
04	7.26(.286)	3.00(.118)	29	14.00(.551)	2.20(.087)
05	13.00(.512)	3.00(.118)	30	4.60(.181)	2.50(.098)
06	7.50(2.95)	3.00(.118)	31	7.66(.301)	3.20(.126)
07	12.50(.492)	3.00(.118)	32	4.00(.157)	3.00(.118)
08	3.60(.142)	1.50(.059)	33	3.00(.118)	2.50(.098)
09	8.00(.315)	3.00(.118)	34	6.00(.236)	2.50(.098)
10	20.00(.787)	3.00(.118)	35	7.00(.276)	2.50(.098)
11	6.00(.236)	2.70(.106)	36	15.50(.610)	2.00(.079)
12	3.23(.127)	3.23(.127)	37	8.30(.327)	3.00(.118)
13	5.80(.228)	2.50(.098)	38	5.86(.231)	3.40(.134)
14	6.42(.253)	8.96(.353)	39	2.00(.079)	6.50(.256)
15	10.63(.419)	1.50(.059)	40	3.60(.142)	1.10(.043)
16	5.84(.230)	5.08(.200)	41	7.70(.303)	10.30(.406)
17	8.06(.317)	3.30(.130)	42	14.80(.583)	2.00(.079)
18	17.50(.689)	3.00(.118)	43	11.10(.437)	1.50(.059)
19	10.46(.412)	3.00(.118)	44	16.60(.653)	3.00(.118)
20	6.06(.239)	3.00(.118)	45	17.00(.669)	3.18(.125)
21	6.10(.240)	2.20(.087)	46	1.80(.071)	3.00(.118)
22	10.40(.409)	10.00(.393)	47	10.63(.419)	2.80(.110)
23	2.80(.110)	3.60(.142)	48	2.50(.098)	7.90(.311)
24	6.00(.236)	6.00(.236)	49	2.50(.098)	7.40(.291)

PDF. No

CH3101T

Rev. 025


ECN No : ECNT114123

Date : 2015/1/23



瀚荃股份有限公司
CviLux Corporation

CH31 Series V Type Pin Length Option
Code List Table For DWG No. : CH3101S*
& CH3152S* & CH3191A*



Option Code	Dimension		Option Code	Dimension	
	C	D		C	D
50	15.00(.591)	3.00(.118)	75	2.67(.105)	3.30(.130)
51	5.00(.197)	3.00(.118)	76	9.00(.354)	3.00(.118)
52	14.00(.551)	3.30(.130)	77	3.81(.150)	3.30(.130)
53	6.00(.236)	2.40(.094)	78	2.50(.098)	2.20(.087)
54	9.96(.392)	3.00(.118)	79	5.40(.213)	3.00(.118)
55	8.10(.319)	3.00(.118)	80	2.50(.098)	4.60(.181)
56	16.00(.630)	10.16(.400)	81	15.00(.591)	3.50(.138)
57	2.70(.106)	2.40(.094)	82	10.20(.402)	3.00(.118)
58	6.30(.248)	2.30(.091)	83	6.75(.266)	2.90(.114)
59	17.50(.689)	6.00(.236)	84	11.04(.435)	2.50(.098)
60	0.96(.038)	6.30(.248)	85	7.275(.286)	11.355(.447)
61	7.96(.313)	2.20(.087)	86	3.50(.138)	0.70(.028)
62	0.96(.038)	10.10(.398)	87	2.50(.098)	2.50(.098)
63	4.00(.157)	22.46(.884)	88	2.54(.100)	5.84(.230)
64	6.00(.236)	4.70(.185)	89	7.58(.298)	2.50(.098)
65	6.00(.236)	4.10(.161)	90	18.16(.715)	3.00(.118)
66	20.50(.807)	2.50(.098)	91	15.00(.591)	2.00(.079)
67	3.50(.138)	3.00(.118)	92	6.70(.264)	3.20(.126)
68	4.30(.169)	3.00(.118)	93	27.5(1.082)	3.00(.118)
69	2.26(.089)	2.80(.110)	94	5.72(.225)	10.16(.400)
70	6.00(.236)	8.00(.315)	95	17.5(.689)	4.00(.157)
71	7.96(.313)	3.50(.138)	96	11.46(.451)	3.00(.118)
72	12.50(.492)	2.50(.098)	97	9.80(.386)	2.60(.102)
73	0	6.00(.236)	98	6.00(.236)	4.00(.157)
74	14.50(.570)	3.00(.118)	99	6.00(.236)	2.30+0.2/-0.1 (.091+.008/-0.04)

CIVILUX CORP
2015.01.23
ISSUED

PDF. No

CH3101T


Rev. 025

ECN No : ECNT114123

Date : 2015/1/23



**CH31 Series V Type Pin Length Option
Code List Table For DWG No. : CH3101S*
& CH3152S* & CH3191A***



Option Code	Dimension		Option Code	Dimension	
	C	D		C	D
0B	6.40(.252)	10.50(.413)			
0C	2.50(.098)	3.00(.118)			
0D	6.80(.270)	3.00(.118)			
0E	8.20(.323)	2.80(.110)			
0F	2.00(.079)	3.00(.118)			
0G	6.00(.236)	3.50(.138)			
0H	5.50(.217)	3.30(.130)			
0I	4.50(.177)	2.80(.110)			
0J	9.50(.374)	2.80(.110)			
0K	5.80(.228)	2.54(.100)			
0L	7.75(.305)	3.36(.132)			
0M	6.00(2.36)	6.00(2.36)			
0N	6.70(.264)	3.46(.136)			
0P	11.00(.433)	3.00(.118)			

