

Material & Finish :

* Insulation: Nylon 66

* Contact: Brass

⚠ Circuit Pattern Schedule:
See Drawing No: CP0111S*

Ordering Code:

CP-01 4 ** 1 * 0
① ② ③ ④ ⑤ ⑥

① Series No.

② Type of Connector:
4= Right angle PCB mount header







③ No of Circuits:

⚠ ④ Plating Code: 1= Tin plated over Nickel
2= Gold flash plated over
1.27μm(50μ") Nickel
3= 0.38μm(15μ") Gold plated
over 1.27μm(50μ") Nickel

⑤ Variation:

1= UL 94V-2, Without mounting ears
3= UL 94V-0, Without mounting ears

⑥ Option: 0= Color Nature (Standard)
1= Color Black




Recommended P.C. Board Layout

Halogen-Free

Tin-Lead Process

RoHS Compliant

④					DATE	UNIT: mm / inch	TITLE: RIGHT ANGLE HEADER CP-01 POWER CONNECTOR	 瀚荃股份有限公司 CviLux Corporation			
③	Sandy	5/9-08'	ECN08219	2008.03.13	DRAWN BY: Sandy	5/12-08'	TOLERANCE UNLESS OTHERWISE SPECIFIED				
②	Sandy	2/20/06'	ECN06054	ISSUED	ENGINEER: Eisley	5/13-08'	.X ± 0.38/.015 X' ± r'	SCALE 2 / 1 SHEET 1 OF 1			
①	SUN	1/15/04'	ECN04025		CHECKED BY: David	5/13-08'	.XX ± 0.25/.010 .X' ±				
SYM	NAME	DATE	REVISIONS		APPROVED BY: Alex	5/13-08'	.XXX ± 0.10/.004 .XX' ±				