

SPECIFICATION FOR APPROVAL



CUSTOMER Comet Electronics

CUSTOMER'S DWG NO. _____

CUSTOMER'S PART NO _____

OUR DWG NO. TE9803221

QUANTITY _____ **DATE:** AUG. 24, 2012

ITEM. LCB1608-221Y-N

	✓	CUSTOMER'S SIGNATURE	NOTE
FULL APPROVED			
CONDITIONAL APPROVED			
REJECTED			

PLEASE RETURN AFTER APPROVING







CORE MASTER ENTERPRISE CO., LTD.

**TAIWAN: 7F-1, No.129, Lane 235, Baoqiao Rd., Xindian City,
Taipei County 231, Taiwan (R.O.C.)**

TEL:886-2-89191288 FAX:886-2-89191298
<http://www.coremaster.com.tw>

CHINA: TIANXIN, TANGXIA TOWN, DONGGUAN, GUANGDONG, CHINA
TEL:86-769-82037061 FAX:86-769-82037060




SPECIFICATION FOR APPROVAL

CUSTOMER:				DATE:					
PART NO: LCB1608-221Y-N				DWG.NO: TE9803221					
CUSTOMER PART NO:				CUST.DWG.NO:					
(1) DIMENSIONS (UNIT: mm) 				A	1.6 ± 0.2	m/m			
				B	0.8 ± 0.2	m/m			
				C	0.8 ± 0.2	m/m			
				D	0.3 ± 0.2	m/m			
				E		m/m			
				F		m/m			
				G		m/m			
				H		m/m			
				I		m/m			
				J		m/m			
(2) ELECTRICAL REQUIREMENTS									
Z (Ω)	$220 \pm 25\%$	TEST FREQ	100MHz/100mV						
RDC (Ω)	0.15 (MAX)	TEST FREQ							
IDC (mA)	2000 (MAX)	TEST FREQ							
TEST INSTRUMENTS HP4338A MILLIOHMMETER HP4291B RF IMPEDANCE/MATERIAL ANALYZER				APPROVED BY 					
				CHECKED BY 					
				DRAWN BY 					

CORE MASTER ENTERPRISE CO., LTD.

TEL:886-2-8919-1288 FAX:886-2-8919-1298 WEB:www.coremaster.com.tw

TEST DATA

CUSTOMER :				DATE :					
PART NO: LCB1608-221Y-N				DWG.NO: TE9803221					
CUSTOMER PART NO :				CUST.DWG.NO :					
ITEM	Z (Ω)	RDC (Ω)	IDC (mA)	DIMENSION (UNIT : mm)					
				A	B	C	D		
FREQ	100MHz /100mV								
SPEC	200 ± 25%	0.15 (MAX)	2000 (MAX)	1.6 ± 0.2	0.8 ± 0.2	0.8 ± 0.2	0.3 ± 0.2		
1	191.8	0.091	OK	1.61	0.81	0.82	0.31		
2	203.6	0.094	OK	1.60	0.81	0.82	0.31		
3	208.7	0.088	OK	1.61	0.82	0.83	0.33		
4	216.0	0.087	OK	1.62	0.80	0.83	0.32		
5	240.0	0.094	OK	1.60	0.81	0.80	0.32		
6	210.1	0.090	OK	1.64	0.81	0.82	0.30		
7	218.9	0.088	OK	1.62	0.83	0.84	0.30		
8	212.8	0.091	OK	1.63	0.83	0.81	0.33		
9	195.3	0.092	OK	1.63	0.80	0.81	0.34		
10	202.0	0.090	OK	1.61	0.82	0.84	0.30		
X	209.9	0.091		1.62	0.81	0.82	0.32		
R	48.2	0.007		0.04	0.03	0.04	0.04		
						APPROVED BY			
									
						CHECKED BY			
									
						DRAWN BY			
									

CORE MASTER ENTERPRISE CO., LTD.

TEL:886-2-8919-1288 FAX:886-2-8919-1298 WEB:www.coremaster.com.tw

LCB1608-221Y-N

