

# SPECIFICATION FOR APPROVAL



**CUSTOMER** Comet Electronics

**CUSTOMER'S DWG NO.** \_\_\_\_\_

**CUSTOMER'S PART NO** \_\_\_\_\_

**OUR DWG NO.** MY1126991

**QUANTITY** \_\_\_\_\_ **DATE:** NOV 2, 2012

**ITEM.** DS3316-331M

	✓	CUSTOMER'S SIGNATURE	NOTE
FULL APPROVED			
CONDITIONAL APPROVED			
REJECTED			

PLEASE RETURN AFTER APPROVING








**CORE MASTER ENTERPRISE CO., LTD.**

**TAIWAN: 7F-1, No.129, Lane 235, Baoqiao Rd., Xindian City,  
Taipei County 231, Taiwan (R.O.C.)**

**TEL:886-2-89191288 FAX:886-2-89191298**  
**<http://www.coremaster.com.tw>**

**CHINA: TIANXIN, TANGXIA TOWN, DONGGUAN, GUANGDONG, CHINA**  
**TEL:86-769-82037061 FAX:86-769-82037060**




# SPECIFICATION FOR APPROVAL

CUSTOMER:		DATE:
PART NO: DS3316-331M		DWG.NO: MY1126991
CUSTOMER PART NO:		CUST.DWG.NO:
<p>(1) DIMENSION(UNIT: mm)</p> 		A    13.50 (MAX)    m/m
		B    9.40 (MAX)    m/m
		C    5.20 (MAX)    m/m
		D    2.54 (REF)    m/m
		E    8.00 (REF)    m/m
		F                       m/m
		G                       m/m
		H                       m/m
		I                       m/m
		J                       m/m
		(2)ELECTRICAL REQUIREMENTS
L (uH)	330 ± 20%	
RDC (Ω)	1.02 (MAX)	
IDC (A)	0.95 (MAX)	
TEST CONDITION	100KHZ / 0.1V	
<p>APPROVED BY</p> <p>CHECKED BY</p> <p>DRAWN BY</p>		
		
		

**CORE MASTER ENTERPRISE CO., LTD.**

TEL:886-2-8919-1288    FAX:886-2-8919-1298    WEB: www.coremaster.com.tw

# TEST DATA

CUSTOMER:				DATE:			
PART NO: DS3316-331M				DWG.NO: MY1126991			
CUSTOMER PART NO :				CUST.DWG.NO :			
TEST CONDITION: 100KHZ / 0.1V				DIMENSION (UNIT : mm)			
ITEM	L (uH)	RDC (Ω)	IDC (A)	A	B	C	
SPEC	330 ± 20%	1.02 (MAX)	0.95 (MAX)	13.50 (MAX)	9.40 (MAX)	5.20 (MAX)	
1	326.9	0.79	OK	13.06	9.26	5.00	
2	327.1	0.79	OK	13.07	9.25	5.01	
3	330.3	0.79	OK	13.06	9.27	5.00	
4	331.4	0.79	OK	13.08	9.27	5.04	
5	331.1	0.79	OK	13.03	9.26	5.01	
6	327.3	0.79	OK	13.10	9.24	5.06	
7	328.1	0.79	OK	13.08	9.26	5.00	
8	331.1	0.79	OK	13.07	9.27	5.01	
9	328.3	0.79	OK	13.08	9.27	5.04	
10	327.7	0.79	OK	13.00	9.25	4.94	
$\bar{X}$	328.93	0.79		13.063	9.26	5.011	
R	4.5	0		0.1	0.03	0.12	
TEST INSTRUMENTS DV-6021 LCR METER VR-131 RDC METER VR116+VR7220 BA/S CURRENT				APPROVED BY			
							
				CHECKED BY			
							
				DRAWN BY			
							

**CORE MASTER ENTERPRISE CO., LTD.**

TEL:886-2-8919-1288    FAX:886-2-8919-1298    WEB: www.coremaster.com.tw