
1496476-6 ! PENDING OBSOLESCENCE

Raychem STSS

TE Internal #: 1496476-6 TE Internal Description: STD USB-A TO MINI-B ASSY, 12" View on TE.com >



Cable Assemblies > Copper Cable Assemblies > Multimedia Cable Assemblies > USB Cable Assemblies



Assembly Type: USB Mini 5 Pos Plug Type B - USB (Std) Type A

USB Cable Assembly Configuration: Double-Ended

USB Connector Type: Mini

Wire Size: 28 AWG

USB Cable Assembly Color: Black

Features

Product Type Features

Assembly Type	USB Mini 5 Pos Plug Type B - USB (Std) Type A			
USB Connector Type	Mini			
Shielded	Yes			
Connector Type (End A)	Plug			
Connector Type (End B)	Plug			
Configuration Features				
Number of USB Connectors	2			
USB Cable Assembly Configuration	Double-Ended			
USB Cable Assembly Configuration Body Features	Double-Ended			
	Double-Ended Without			
Body Features				
Body Features Ferrite Core	Without			
Body Features Ferrite Core Equalized	Without No			



Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUN 2020 (209) Not Yet Reviewed
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked.Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

Compatible Parts



Also in the Series | Raychem STSS

STD USB-A TO MINI-B ASSY, 12"





Customers Also Bought



CPF 0805 102K 0.1% 25PPM 1K RL	202K174-100/180-0	RN 0402 5K36 0.1% 10PPM 1K RL	RP 1J 1K62 0.1% 15PPM CUT LENGTH
TE CONTRACTOR	TE		
TE Model / Part #1-1478912-0 SMA R/A PLG S/CLMP RG174 GSS	TE Model / Part #1622684-1 LR2 1% 130K		

Documents

Product Drawings STD USB-A TO MINI-B ASSY, 12"

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1496476-6_P.2d_dxf.zip

1496476-6

STD USB-A TO MINI-B ASSY, 12"



English

Customer View Model ENG_CVM_CVM_1496476-6_P.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1496476-6_P.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages Products for Mobile Equipment

English