Note: This datasheet may be out of date.

Please download the latest datasheet of LQH32CN1R0M33# from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en-gb/products/productdetail?partno=LQH32CN1R0M33%23

"#" indicates a package specification code.

LQH32CN1R0M33#

Size Code 3225 (1210) in mm (in inch)


















< List of part numbers with package codes > LQH32CN1R0M33K LQH32CN1R0M33L



Appearance & Shape







References

| Packaging | Specifications | Standard Packing |
|-----------|------------------|---------------------|
| | | Quantity |
| K | 330Embossed Tape | 7500 |
| L | 180Embossed Tape | 2000 |

| Mass (typ.) | |
|-------------|-------|
| 1 piece | 0.06g |



Notices

When rated current is applied to the products, self-temperature rise shall be limited to 20°C max and inductance will be within ±10% of initial inductance value.

1 of 3

Attention

- 1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.
- 2. This datasheet has only typical specifications because there is no space for detailed specifications
- Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.



Please download the latest datasheet of LQH32CN1R0M33# from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en-gb/products/productdetail?partno=LQH32CN1R0M33%23

Note: This datasheet may be out of date.

"#" indicates a package specification code.





Specifications

| L size | 3.2±0.3mm |
|--|---------------|
| W size | 2.5±0.2mm |
| T size | 2.0±0.2mm |
| Size code inch (mm) | 1210 (3225) |
| Inductance | 1µH±20% |
| Inductance Test Frequency | 1MHz |
| Rated current (Itemp) (Based on Temperature rise) | 1000mA |
| Max. of DC resistance | 0.078Ω |
| Class of magnetic shield | No Shield |
| Self resonance frequency (min.) | 100MHz |
| Operating Temperature Range(Self-temperature rise is not included) | -40°C to 85°C |
| DC Resistance Intermediate Values | 0.06Ω±30% |
| Series | LQH32CN_33 |

2 of 3

Attention

1.This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.



LQH32CN1R0M33#

Note: This datasheet may be out of date.


Please download the latest datasheet of LQH32CN1R0M33# from the official website of Murata Manufacturing Co., Ltd.


http://www.murata.com/en-gb/products/productdetail?partno=LQH32CN1R0M33%23

"#" indicates a package specification code.



Characteristic Data





Impedance - Current Characteristics

Impedance - Frequency Characteristics

3 of 3

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.

