


EI30/18ST Transformers for Printed Boards

For power 2.3VA.
Designed for the electronics.

Connection method - with pins to printed boards.

- Type - EI/ST
- Input voltage - from 12V to 230V
- Output voltage - from 6V to 24V
- Output voltage - from 2x6V to 2x24V
- Frequency - 50-60HZ
- Isolation class - B/130°C
- Ambient temperature - +70°C
- Protection class - II
- Dielectric strength - 4200V
- Short-circuit protection - (non) proof
- Core type - EI DIN 41302
- IEC Norm - EN 61558



Part. №	Power, VA	Primary voltage, V	Primary № pins	Secondary voltage loaded, V	Secondary current, mA	Secondary № pins	Secondary voltage no load, V
BULTRAF2.3VA/9V	2.3	230	1-5	1x9	255	7-9	1x14
BULTRAF2.3VA/12V	2.3	230	1-5	1x12	192	7-9	1x18.8
BULTRAF2.3VA/12V+12V	2.3	230	1-5	2x12	96	6-7/9-10	2x18.8
BULTRAF2.3VA/18V	2.3	230	1-5	1x18	128	7-9	1x28
BULTRAF2.3VA/18V+18V	2.3	230	1-5	2x18	64	6-7/9-10	2x28