

# Alubos

## ABPH 1600



ABPH 1600-0150  
Order no.: 84166150

\* = Available on request.

### Characteristics

---

Colour of enclosure group  
Black, similar to RAL 9005

Protection class  
IP 65

Enclosure Material  
Extruded profiles: Al Mg Si 0.5 powder-coated; diecast lid: GB Al Si 12, powder-coated; seal: TPE; for details see Technical Information

### Dimensions

---

Dimensions  
169 x 52 x 150 mm

Product drawing

<a href="#">84166150_ABPH-1600-0150.pdf</a>
---

### Scope of delivery

Enclosure profile, two parts including profile seal

### Note

C = profile length, special lengths on request.

### Important!

---

To compensate for pressure when temperatures change and cause moisture in the enclosure, we recommend that you use a pressure compensation element.

» Additional information

## Technical documentation / Downloads

---

### Technical drawings

3D product data in STEP format: 84166150 ABPH-1600-150.stp (654.4 KB)

Drawing for mechanical processing: 84166150 ABPH-1600-0150-G.dxf (733.0 KB)

Milling contours are shown here as a DXF file. (Sub D, USB, HDMI, cable glands, ...)

Product drawing in PDF format: 84166150 ABPH-1600-0150.pdf (250.0 KB)

Product drawing in DXF format: 84166150 ABPH-1600-0150.dxf (1.4 MB)

### Product information

Alubos GB.pdf (3.3 MB)

### Assembly Instructions

Alubos ABPH Profil Geteilt Profile Divided 84200035.pdf (1.4 MB)

## Matching accessories

---



### End cover

84161000 ABD 1600

For AB 1600



### EMC seals

84201615 DI 1600-EMV

For AB 1600



### Seals, ultramarine

84201614 DI 1600-5002

For AB 1600



### Seals, fire red

84201616 DI 1600-3000

For AB 1600



### Seals, rape yellow

84201612 DI 1600-1021

For AB 1600



### Seals, patina green

84201613 DI 1600-6000

For AB 1600



Seals UL 94 V0

84201619\* DI 1600-V0

For AB 1600



Wall brackets, sheet steel

84008000 AB-WL 3

For AB 1600/1680/2070



Handle / Tip-up bow, hinged

84162000 AB 1600 HS

For AB 1600/1680



Self-adhesive rubber feet, black

84006700 AB - GF

Polyurethane, 65-75 Shore

Black