seeed studio

INDUSTRIAL PRODUCT DATASHEET

Fiberglass Antenna; 860-930MHz 5dBi-600mm

Fiberglass Antenna; 860-930MHz 5dBi-600mm – a rugged outdoor antenna for the SenseCAP M1 Indoor Gateway with 5dBi gain and 60cm length.

SKU	UPDATED	PRICE
318020612	2026-06-10 12:08:55	$35.00(Excl. VAT)



Overview



The Fiberglass Antenna operates in the 860-930MHz frequency range with an average gain of 5dBi and a length of 60cm, designed to withstand harsh outdoor environments. It includes mounting hardware, a 1m cable, and connects to the SenseCAP M1 Indoor Gateway, making it suitable for applications in agriculture, environmental monitoring, and urban monitoring.

Key Features

- Average gain dBi: 5dBi
- Frequency range: 860-930MHz
- Length of 60cm
- Robust enough to withstand the harsh outdoor environment
- Can connect to **SenseCAP M1 Indoor Gateway**
- Includes hardware for mounting
- Comes with a 1m cable

Product Gallery





Applications

- **Agriculture**
- **Environmental Monitoring**
- **Urban Monitoring**

Compliance & Logistics

HSCODE	8517707090
USHSCODE	8517710000
UPC	
EUHSCODE	8517620000
COO	CHINA

Resource Links

- https://www.seeedstudio.com/Lora-Fiberglass-Antenna-860-930MHz-5dBi-600mm-p-4927.html

Seeed Technology Co.,Ltd.
9F, Building G3, International E City,
Zhongshanyuan Road, Nanshan, Shenzhen, China

Tel: +86 0755-80695676
Web: www.seeed.cc
Shop: www.seeedstudio.com