

Note:

1. Material:

* Base:

High Temperature Polyamide

UL 94V-0 Color Nature

* Contact: Brass

△△ 2. For Lead Free Wave Flow Process

Ordering Code:

CI06 ** P 1 H 00
 ① ② ③ ④ ⑤ ⑥

① Series No.

② No. of circuits

③ Contact type: P= Pin Header




④ Plating option:

1= 3.05μm (120μ") Tin

over 0.76μm(30μ") Nickel

⑤ Type: H= Right angle type

⑥ Other option: 00= Standard



Recommended P.C. Board Layout


△ A = 2.00 x No. of Spaces

B = A + 3.96

C = A + 2.8

* Available in 2 through 16 circuits

RoHS Compliant

△4	Sun	7/20-17'	ECNT117146/ECRT117041		DATE	UNIT: mm / inch	TITLE:	 瀚荃股份有限公司 CviLux Corporation	
△3	Enya	3/8-13'	ECN13056-0/ECR13007-1	DRAWN BY: Sun	7/21-17'	TOLERANCE UNLESS OTHERWISE SPECIFIED	2.00mm PIN HEADER DIP TYPE		
△2	Tim	11/09-10'	ECR10145-0/ECN10364	ENGINEER: Sun	7/21-17'	.X ± 0.30/012 X' ± 1'	MATERIAL:		
△1	Sandy	9/27-07'	ECN07402	CHECKED BY: Eisley	7/28-17'	.XX ± 0.20/008 .X' ±	FINISH:		
SYM	NAME	DATE	REVISIONS	APPROVED BY: Eisley	7/28-17'	.XXX ± 0.10/004 .XX' ±	DRAWING NO. CI0601SE	PART NO. CI06**P1H00	
								SCALE 3 / 1	SHEET 1 OF 1

CVILUX CORP
 2017.08.04
 ISSUED