

Material:

- △ * Insulation: PBT UL 94V-0
- * Contact: Phosphor Bronze

Ordering Code:

$\frac{CB87}{①}$ $\frac{**}{②}$ $\frac{A}{③}$ $\frac{V}{④}$ $\frac{1}{⑤}$ $\frac{00}{⑥}$

① Series No.

② NO. of Circuits

△ △ ③ Plating code:

2= Gold flash plated over Nickel





A= Selective Gold flash plated over Nickel
 B= Selective 0.38 μ m(15 μ "") Gold plated over Nickel

C= Selective 0.76 μ m(30 μ "") Gold plated over Nickel

④ Tail Style: V= Straight

⑤ Color: 1= Black

⑥ Option: 00= Standard



Recommended P.C. Board Layout


A = 2.54 * No. of Spaces

△ B = A + 2.54

* Available in 4 through 90 circuits

RoHS Compliant

CVILUX CORP
 2022.05.26
 ISSUED

△4	Eric	4/26-22'	ECNT122063/ECRT122016		DATE	UNIT: mm / inch	TITLE: 2.54MM(.100") DUAL ROW BOARD MOUNT CONNECTOR	 瀚荃股份有限公司 CviLux Corporation
△3	Yushu	6/16-20'	ECRT120041/ECNT120167	DRAWN BY: Karen	5/17-22'	TOLERANCE UNLESS OTHERWISE SPECIFIED	MATERIAL:	
△2	Jim	6/20/06'	ECN06198	ENGINEER: Sun	5/23-22'	.X ± 0.30/.012 X' ± 1"	FINISH:	DRAWING NO. CB8701SG
△1	Sandy	3/28/06'	ECN06104	CHECKED BY: Eisley	5/25-22'	.XX ± 0.20/.008 X' ±		PART NO. CB87***V100
SYM	NAME	DATE	REVISIONS	APPROVED BY: Eisley	5/25-22'	.XXX ± 0.10/.004 XX' ±	SCALE 3 / 1	SHEET 1 OF 1