


EI30/10.5ST Transformers for Printed Boards

For power 1.5VA.

Designed for the electronics.

Connection method with pins to printed boards.

- Type - EI/ST
- Input voltage - from 12V to 230V
- Output voltage - from 6V to 24V
- Output voltage - from 2x6V to 2x24V
- Frequency - 50-60Hz
- Isolation class - B/130°C
- Ambient temperature - +70°C
- Protection class - II
- Dielectric strength - 4200V
- Short-circuit protection - (non) proof
- Core type - EI DIN 41302
- IEC Norm - EN 61558



Part. №	Power, VA	Primary voltage, V	Primary № pins	Secondary voltage Loaded, V	Secondary current, mA	Secondary № pins	Secondary voltage no load, V
BULTRAF1.5VA/6V	1.5	230	1-5	1x6	250	7-9	1x8.4
BULTRAF1.5VA/6V+6V	1.5	230	1-5	2x6	125	6-7/9-10	2x8.4
BULTRAF1.5VA/9V	1.5	230	1-5	1x9	166	7-9	1x13.1
BULTRAF1.5VA/9V+9V	1.5	230	1-5	2x9	83	6-7/9-10	2x13.1
BULTRAF1.5VA/12V	1.5	230	1-5	1x12	125	7-9	1x16.9
BULTRAF1.5VA/18V	1.5	230	1-5	1x18	83	7-9	2x21.4