

Product information

uninorm en.pdf (866.8 KB)

Important!

To compensate for pressure when temperatures change and cause moisture in the enclosure, we recommend that you use a pressure compensation element.

» Additional information

Matching accessories



Cylinder lock / hand knob for retro-fitting in the snap-lock mechanism

21008310 SHLO-302 Cylinder lock



Front lid with continuous membrane keypad, snaps firmly on

37996500* NGS 96 F For NGS 96..



Front frame with screw covers, snaps firmly on

37998600 NGS 98 SA For NGS 98.., for NGS 9806-GR



Crystal-clear hood, snap-on, polycarbonate

37996700* NGS 96 AH For NGS 96..



Clear hood cover, flexible, up to IP 65 possible

37009800 NGS 98 GHN For NGS 98.., for NGS 9806-GR



Crystal-clear front door, snap-on, with knob, polycarbonate

17980000 NGS 98 TK For NGS 98.., for NGS 9806-GR
17980002 NGS 98 TK2 For NGS 98.., for NGS 9806-GR



Spring clamp for fixing enclosure

37005000 NGS-NF



Screw clamp for screw-fitting enclosure

37003000 NGS-NK



Connecting piece for insertion of standard retaining clasps acc. to DIN 43835

37004000 NGS-ZE




Standard retaining clasp in accordance with DIN 43835 form B (only for use with NGS-ZE)

37001000 NGS-NH



Front panel seal (non-definable protection class)

37098010 NGS 98 DI For NGS 98.., for NGS 9806-GR



External control panel seal (non-definable protection class)

37098000 NGS 98 DA For NGS 98..



Front panels, 1,5 mm, natural-coloured anodised aluminium

37000500 NGS 98 FAE For NGS 98..



Plastic front panel, red translucent, 3 mm

37000950 NGS 98 FKT For NGS 98.., for NGS 9806-GR