

Product information

uninorm en.pdf (866.8 KB)

Important!

To compensate for pressure when temperatures change and cause moisture in the enclosure, we recommend that you use a pressure compensation element.

» [Additional information](#)

Matching accessories



Front lid with continuous membrane keypad, snaps firmly on

37994500 NGS 94 F For NGS 94..



Front frame with screw covers, snaps firmly on

37994600 NGS 94 SA For NGS 94..



Crystal-clear hood, snap-on, polycarbonate

37994700* NGS 94 AH For NGS 94..



Clear hood cover, flexible, up to IP 65 possible

37009400 NGS 94 GHN For NGS 94..



Spring clamp for fixing enclosure

37005000 NGS-NF



Screw clamp for screw-fitting enclosure

37003000 NGS-NK



Connecting piece for insertion of standard retaining clasps acc. to DIN 43835

37004000 NGS-ZE




Standard retaining clasp in accordance with DIN 43835 form B (only for use with NGS-ZE)

37001000 NGS-NH



Front panel seal (non-definable protection class)

37094010 NGS 94 DI For NGS 94..



External control panel seal (non-definable protection class)

37094000 NGS 94 DA For NGS 94..



Front panels, 1,5 mm, natural-coloured anodised aluminium

37000300 NGS 94 FAE For NGS 94..



Plastic front panel, red translucent, 3 mm

37000800 NGS 94 FKT For NGS 94..