

Alurail

Basic profiles, one-piece



ARP 75/31-140
 Order no.: 87011400

* = Available on request.

Characteristics

Colour of enclosure group
 Natural-coloured anodised

Protection class
 IP 40

Enclosure Material
 Extruded profiles: Al Mg Si 0.5, anodised; profile caps: polyamide 6.6 FR; for details see Technical Information

Scope of delivery
 Enclosure profile

Note


C = profile length; special lengths on request.

Front panels and profile caps as accessories.

Dimensions

Dimensions
 25.5 x 75 x 130 mm

Product drawing



Technical documentation / Downloads

Technical drawings

3D product data in STEP format: 87011400 ARP-75-31-140.stp (291.4 KB)
 Product drawing in PDF format: 87011400 ARP-75-31-140.pdf (32.5 KB)

27.10.2022

Product information

alurail en.pdf (1.1 MB)

Maximum Load DIN Rail enclosures EN.pdf (110.3 KB)

Important!

To compensate for pressure when temperatures change and cause moisture in the enclosure, we recommend that you use a pressure compensation element.

» Additional information

Matching accessories



Module profiles, one-piece

87100525	ARPM 45/27-52,5
87100700	ARPM 45/27-70
87101050	ARPM 45/27-105
87101400	ARPM 45/27-140
87100350	ARPM 45/27-35



Module profiles, one-piece

87111400	ARPM 75/42-140
87110350	ARPM 75/42-35
87110525	ARPM 75/42-52,5
87110700	ARPM 75/42-70
87111050	ARPM 75/42-105



Module profiles, divided

87120350	ARPMG 00/27-35
87120525	ARPMG 00/27-52,5
87120700	ARPMG 00/27-70
87121050	ARPMG 00/27-105
87121400	ARPMG 00/27-140



Module profiles, divided

87131050	ARPMG 00/42-105
87131400	ARPMG 00/42-140
87130700	ARPMG 00/42-70
87130350	ARPMG 00/42-35
87130525	ARPMG 00/42-52,5



Front panels for basic profiles, 2 mm, natural-coloured anodised aluminium

87401400	AR 75-140 FP	For ARP(G) 75/31-140
----------	--------------	----------------------



Front panels for module profiles, 2 mm, natural-coloured anodised aluminium

87421400	ARM 45-140FP	For ARPM(G) 45(00)/27-140
87431400	ARM 75-140 FP	For ARPM(G) 75(00)/42-140



Basic profile caps with drill holes for fixing the module

87301100 AR 75/31-KS 1 For ARP(G) 75 Light grey



Basic profile caps without drill holes

87302100 AR 75/31-KS 2 For ARP(G) 75



Side panels for basic profile, natural-coloured anodised aluminium

87304200 AR 75/45-KS-AL For ARP(G) 75/31-... + ARPM(G) 45/27-...
87304100 AR 75-KS-AL For ARP(G) 75/31-...
87304300 AR 75/75-KS-AL For ARP(G) 75/31-... + ARPM(G) 75/42-...
...



Module profile caps

87303100 ARM 45/27 For ARPM(G) 45 Light grey
87303200 ARM 75/42 For ARPM(G) 75 Light grey



Wall fitting for the basic profile, polyamide

87311400 AR 140 WB For ARP...-140



Earthing set for basic profiles

87309010 AR-E



Snap-on element for basic profiles, suitable for DIN rails acc. to DIN EN 60715 TH 35, polyamide

87309020 AR-R



Reinforcing spring, spring steel

59009382 AR-FED-BL