

Alurail

Basic profiles, one-piece



ARP 75/31-52,5

Order no.: 87010525

* = Available on request.

Characteristics

Colour of enclosure group

Natural-coloured anodised

Protection class

IP 40

Enclosure Material

Extruded profiles: Al Mg Si 0.5, anodised; profile caps: polyamide 6.6 FR; for details see Technical Information

Scope of delivery

Enclosure profile

Note

C = profile length; special lengths on request.


Front panels and profile caps as accessories.

Dimensions

Dimensions

25.5 x 75 x 42.5 mm

Product drawing



Technical documentation / Downloads

Technical drawings

3D product data in STEP format: 87010525 ARP-75-31-525.stp (291.9 KB)

Product drawing in PDF format: 87010525 ARP-75-31-525.pdf (32.5 KB)

27.10.2022

Product information

alurail en.pdf (1.1 MB)

Maximum Load DIN Rail enclosures EN.pdf (110.3 KB)

Important!

To compensate for pressure when temperatures change and cause moisture in the enclosure, we recommend that you use a pressure compensation element.

» Additional information

Matching accessories



Module profiles, one-piece

87100350 ARPM 45/27-35
87100525 ARPM 45/27-52,5



Module profiles, one-piece

87110525 ARPM 75/42-52,5
87110350 ARPM 75/42-35



Module profiles, divided

87120525 ARPMG 00/27-52,5
87120350 ARPMG 00/27-35



Module profiles, divided

87130525 ARPMG 00/42-52,5
87130350 ARPMG 00/42-35



Front panels for basic profiles, 2 mm, natural-coloured anodised aluminium

87400525 AR 75-52,5 FP For ARP(G) 75/31-52,5



Front panels for module profiles, 2 mm, natural-coloured anodised aluminium

87430525 ARM 75-52,5 FP For ARPM(G) 75(00)/42-52,5
87420525 ARM 45-52,5 FP For ARPM(G) 45(00)/27-52,5



Basic profile caps with drill holes for fixing the module

87301100 AR 75/31-KS 1 For ARP(G) 75 Light grey



Basic profile caps without drill holes

87302100 AR 75/31-KS 2 For ARP(G) 75



Side panels for basic profile, natural-coloured anodised aluminium

87304300 AR 75/75-KS-AL For ARP(G) 75/31-... + ARPM(G) 75/42-...
87304200 AR 75/45-KS-AL For ARP(G) 75/31-... + ARPM(G) 45/27-...
87304100 AR 75-KS-AL For ARP(G) 75/31-...



Module profile caps

87303200 ARM 75/42 For ARPM(G) 75 Light grey
87303100 ARM 45/27 For ARPM(G) 45 Light grey



Wall fitting for the basic profile, polyamide

87310525 AR 52,5 WB For ARP...-52,5



Earthing set for basic profiles

87309010 AR-E



Snap-on element for basic profiles, suitable for DIN rails acc. to DIN EN 60715 TH 35, polyamide

87309020 AR-R



Reinforcing spring, spring steel

59009382 AR-FED-BL