

# Alurail

Basic profiles, one-piece



ARP 75/31-70

Order no.: 87010700

\* = Available on request.

## Characteristics

Colour of enclosure group

Natural-coloured anodised

Protection class

IP 40

Enclosure Material

Extruded profiles: Al Mg Si 0.5, anodised; profile caps: polyamide 6.6 FR; for details see Technical Information

Scope of delivery

Enclosure profile

Note

C = profile length; special lengths on request.


Front panels and profile caps as accessories.

## Dimensions

Dimensions

25.5 x 75 x 60 mm

Product drawing



## Technical documentation / Downloads

### Technical drawings

3D product data in STEP format: 87010700 ARP-75-31-70.stp (291.9 KB)

Product drawing in PDF format: 87010700 ARP-75-31-70.pdf (32.5 KB)

27.10.2022

## Product information

alurail en.pdf (1.1 MB)

Maximum Load DIN Rail enclosures EN.pdf (110.3 KB)

## Important!

---

To compensate for pressure when temperatures change and cause moisture in the enclosure, we recommend that you use a pressure compensation element.

» Additional information

## Matching accessories

---



### Module profiles, one-piece

87100350 ARPM 45/27-35  
87100700 ARPM 45/27-70  
87100525 ARPM 45/27-52,5



### Module profiles, one-piece

87110700 ARPM 75/42-70  
87110525 ARPM 75/42-52,5  
87110350 ARPM 75/42-35



### Module profiles, divided

87120700 ARPMG 00/27-70  
87120525 ARPMG 00/27-52,5  
87120350 ARPMG 00/27-35



### Module profiles, divided

87130700 ARPMG 00/42-70  
87130525 ARPMG 00/42-52,5  
87130350 ARPMG 00/42-35



### Front panels for basic profiles, 2 mm, natural-coloured anodised aluminium

87400700 AR 75-70 FP For ARP(G) 75/31-70



### Front panels for module profiles, 2 mm, natural-coloured anodised aluminium

87420700 ARM 45-70 FP For ARPM(G) 45(00)/27-70  
87430700 ARM 75-70 FP For ARPM(G) 75(00)/42-70



Basic profile caps with drill holes for fixing the module

87301100 AR 75/31-KS 1 For ARP(G) 75 Light grey



Basic profile caps without drill holes

87302100 AR 75/31-KS 2 For ARP(G) 75



Side panels for basic profile, natural-coloured anodised aluminium

87304300 AR 75/75-KS-AL For ARP(G) 75/31-... + ARPM(G) 75/42-...  
87304200 AR 75/45-KS-AL For ARP(G) 75/31-... + ARPM(G) 45/27-...  
87304100 AR 75-KS-AL For ARP(G) 75/31-...



Module profile caps

87303200 ARM 75/42 For ARPM(G) 75 Light grey  
87303100 ARM 45/27 For ARPM(G) 45 Light grey



Wall fitting for the basic profile, polyamide

87310700 AR 70 WB For ARP...-70



Earthing set for basic profiles

87309010 AR-E



Snap-on element for basic profiles, suitable for DIN rails acc. to DIN EN 60715 TH 35, polyamide

87309020 AR-R



Reinforcing spring, spring steel

59009382 AR-FED-BL