

Note:

1. Material:

* Base:

Nylon 6T With 30% GF. 94V-0

Color Nature(Halogen-Free)

* Contact: Brass

△ 2. For Lead Free Wave flow Process

Ordering Code:

CI06 ** P 1 V 00 -NH
① ② ③ ④ ⑤ ⑥ ⑦

① Series No.

② No. of circuits

③ Contact type: P= Pin Header





④ Plating option:

1= 3.05μm (120u") Matte Tin
over 0.76μm(30u") Nickel

⑤ Type: V= Straight Type

⑥ Other option: 00= Standard

⑦ -NH= For Lead Free wave flow Process
and Halogen-Free



A = 2.0 x No. of Spaces

B = A + 3.96

C = A + 2.8


* Available in 2 through 16 circuits

Recommended P.C. Board Layout

Halogen-Free

Lead Free Process

RoHS Compliant

△4						DATE	UNIT: mm / inch	TITLE:	 瀚荃股份有限公司 CviLux Corporation
△3	Karen	8/11-21'	ECNT121195/ECRB121027	DRAWN BY:	Karen	8/11-21'	TOLERANCE UNLESS OTHERWISE SPECIFIED	2.00mm PIN HEADER DIP TYPE	
△2	Enya	3/8-13'	ECN13056-0/ECR13007-1	ENGINEER:	Sun	8/12-21'	.X ± 0.30/012 X' ± 1'	MATERIAL:	
△1	Tim	11/09-10'	ECR10145-0/ECN10364	CHECKED BY:	Eisley	8/13-21'	.XX ± 0.20/008	FINISH:	
SYM	NAME	DATE	REVISIONS	APPROVED BY:	Eisley	8/13-21'	.XXX ± 0.10/004 .XX' ±		DRAWING NO. CI0618SD PART NO. CI06**P1V00-NH
								SCALE	3 / 1 SHEET 1 OF 1

CVILUX CORP
2021.08.19
ISSUED