YASMEEN-70-RS

~10° spot beam

SPECIFICATION:

Dimensions	Ø 70.0
Height	38.4 mm
Fastening	socket
ROHS compliant	yes

MATERIALS:

Component	Type	Material	Colour	Finish	Length (mm)
YASMEEN-70-RS	Single lens	PMMA	clear		
YASMEEN-70-HLD2-C	Holder C	PC	black		
YASMEEN-70-HLD2-B	Holder B	PC	black		
YASMEEN-70-HLD2-C-WHT	Holder C	PC	white		
YASMEEN-70-HLD2-B-WHT	Holder B	PC	white		
YASMEEN-70-HLD2-B50	Holder B	PC	black		
YASMEEN-70-HLD2-B50-WHT	Holder B	PC	white		

LEDiL is a registered trademark of LEDiL Oy in the European Union, USA, and certain other countries.

ORDERING INFORMATION:

Component	Qty in box	MOQ	MPQ	Box weight (kg)
CP18579_YASMEEN-70-RS	105	105	15	9.3
Assembly				
CP19967_YASMEEN-70-RS-B50-WHT	105	105	15	10.9
CP19960_YASMEEN-70-RS-B50	105	105	15	10.9
CP18788_YASMEEN-70-RS-B2-WHT	105	105	15	11.0
CP18781_YASMEEN-70-RS-C2-WHT	105	105	15	10.9
CP18774_YASMEEN-70-RS-B2	105	105	15	11.0
CP18767_YASMEEN-70-RS-C2	105	105	15	10.6

LEDiL is a registered trademark of LEDiL Oy in the European Union, USA, and certain other countries.

CP18767_YASMEEN-70-RS-C2
CP18781_YASMEEN-70-RS-C2-WHT



CP18774_YASMEEN-70-RS-B2
CP18788_YASMEEN-70-RS-B2-WHT





Top view
Scale: 1:1

INDEX	PART	TYPE	QTY	MATERIAL	COLOUR/COATING	ASSEMBLY CODES
1	CP18579_YASMEEN-70-RS	LENS	1	PMMA	CLEAR	
2	HOLDER C	HOLDER	1			
	C18692_YASMEEN-70-HLD2-C			PC	BLACK	CP18767_YASMEEN-70-RS-C2
	C18700_YASMEEN-70-HLD2-C-WHT			PC	WHITE	CP18781_YASMEEN-70-RS-C2-WHT
3	HOLDER B					
	C18693_YASMEEN-70-HLD2-B			PC	BLACK	CP18774_YASMEEN-70-RS-B2
	C18701_YASMEEN-70-HLD2-B-WHT			PC	WHITE	CP18788_YASMEEN-70-RS-B2-WHT
4	HOLDER B50					
	C19945_YASMEEN-70-HLD2-B50			PC	BLACK	CP19960_YASMEEN-70-RS-B50
	C19946_YASMEEN-70-HLD2-B50-WHT			PC	WHITE	CP19967_YASMEEN-70-RS-B50-WHT

MECHANICAL DRAWING

PRODUCT YASMEEN-70-RS

LEDiL

Plastic moulding general tolerances according to DIN 16901-130 and applies if not otherwise shown in the drawing. Silicone moulding general tolerances according to ISO 3302-1 Class M3 and applies if not otherwise shown in the drawing.

FIRST ANGLE PROJECTION:

This drawing is the property of LEDiL Oy. It may not be copied or otherwise distributed without prior written permission from LEDiL Oy.

SCALE 1:1 | WEIGHT - | A3 | SHEET 1/3

Notes

PCB or heatsink level.
LED location
Ensure LED fitting from a product specific 3D model available from www.ledil.com
For more details about installation please see LEDiL Installation Guide on www.ledil.com

CP19960_YASMEEN-70-RS-B50
CP19967_YASMEEN-70-RS-B50-WHT







INDEX	PART	TYPE	QTY	MATERIAL	COLOUR/COATING	ASSEMBLY CODES
1	CP18579_YASMEEN-70-RS	LENS	1	PMMA	CLEAR	
2	HOLDER C	HOLDER	1			
	C18692_YASMEEN-70-HLD2-C			PC	BLACK	CP18767_YASMEEN-70-RS-C2
	C18700_YASMEEN-70-HLD2-C-WHT			PC	WHITE	CP18781_YASMEEN-70-RS-C2-WHT
3	HOLDER B					
	C18693_YASMEEN-70-HLD2-B			PC	BLACK	CP18774_YASMEEN-70-RS-B2
	C18701_YASMEEN-70-HLD2-B-WHT			PC	WHITE	CP18788_YASMEEN-70-RS-B2-WHT
4	HOLDER B50					
	C19945_YASMEEN-70-HLD2-B50			PC	BLACK	CP19960_YASMEEN-70-RS-B50
	C19946_YASMEEN-70-HLD2-B50-WHT			PC	WHITE	CP19967_YASMEEN-70-RS-B50-WHT

MECHANICAL DRAWING

PRODUCT YASMEEN-70-RS

LEDiL

Plastic moulding general tolerances according to DIN 16901-130 and applies if not otherwise shown in the drawing. Silicone moulding general tolerances according to ISO 3302-1 Class M3 and applies if not otherwise shown in the drawing.

FIRST ANGLE PROJECTION:

This drawing is the property of LEDiL Oy. It may not be copied or otherwise distributed without prior written permission from LEDiL Oy.

SCALE 1:1 | WEIGHT - | A3 | SHEET 2/3

Notes

PCB or heatsink level.
LED location
Ensure LED fitting from a product specific 3D model available from www.ledil.com
For more details about installation please see LEDiL Installation Guide on www.ledil.com

LEDiL is a registered trademark of LEDiL Oy in the European Union, USA, and certain other countries.



See also our general installation guide: www.ledil.com/installation_guide

LEDiL is a registered trademark of LEDiL Oy in the European Union, USA, and certain other countries.

OPTICAL RESULTS (MEASURED):

CITIZEN

LED	CLU7L3
Ordering code	CP18774_YASMEEN-70-RS-B2
FWHM / FWTM	7.0° / 14.0°
Efficiency	90 %
Peak intensity	43.7 cd/lm
LEDs/each optic	1
Light colour/type	White
Required components:	
C19425_SOCKET-B-35-N	





Light distribution files

PHILIPS

LED	Fortimo SLM C TW L06A 1313 G7N
Ordering code	CP18781_YASMEEN-70-RS-C2-WHT
FWHM / FWTM	11.0° / 19.0°
Efficiency	91 %
Peak intensity	21.8 cd/lm
LEDs/each optic	1
Light colour/type	White
Required components:	
C16142_HEKLA-SOCKET-K	
Bender Wirth: 508 Typ L8	





Light distribution files

PHILIPS

LED	Fortimo SLM C TW L09A 1919 G7N
Ordering code	CP18781_YASMEEN-70-RS-C2-WHT
FWHM / FWTM	15.0° / 25.0°
Efficiency	91 %
Peak intensity	11.4 cd/lm
LEDs/each optic	1
Light colour/type	Tunable White
Required components:	
C16142_HEKLA-SOCKET-K	
Bender Wirth: 501 Typ L8	



Light distribution files

LEDiL is a registered trademark of LEDiL Oy in the European Union, USA, and certain other countries.

OPTICAL RESULTS (MEASURED):

SAMSUNG

LED	LC010C G2
Ordering code	CP18767_YASMEEN-70-RS-C2
FWHM / FWTM	10.0° / 18.0°
Efficiency	88 %
Peak intensity	24.2 cd/lm
LEDs/each optic	1
Light colour/type	White

Required components:

F17435_HEKLA-G2-C





Light distribution files

LEDiL is a registered trademark of LEDiL Oy in the European Union, USA, and certain other countries.

OPTICAL RESULTS (SIMULATED):

bridgelux

LED	V10 Gen 8-9
Ordering code	CP18767_YASMEEN-70-RS-C2
FWHM / FWTM	14.0° / 26.0°
Efficiency	90 %
Peak intensity	12.6 cd/lm
LEDs/each optic	1
Light colour/type	White
Required components:	
F15255_HEKLA-SOCKET-C	



Light distribution files

bridgelux

LED	V13 Gen 8-9
FWHM / FWTM	22.0° / 36.0°
Efficiency	90 %
Peak intensity	5.8 cd/lm
LEDs/each optic	1
Light colour/type	White
Required components:	
F19859_HEKLA-G2B-I2	



Light distribution files

bridgelux

LED	V4 HD Gen 8
Ordering code	CP18767_YASMEEN-70-RS-C2
FWHM / FWTM	8.0° / 16.0°
Efficiency	90 %
Peak intensity	35.5 cd/lm
LEDs/each optic	1
Light colour/type	White
Required components:	
F15253_HEKLA-SOCKET-A	



Light distribution files

LEDiL is a registered trademark of LEDiL Oy in the European Union, USA, and certain other countries.

OPTICAL RESULTS (SIMULATED):

bridgelux

LED	Vesta SE 13mm TW
Ordering code	CP18767_YASMEEN-70-RS-C2
FWHM / FWTM	18.0° / 36.0°
Efficiency	86 %
Peak intensity	6.9 cd/lm
LEDs/each optic	1
Light colour/type	Tunable White
Required components:	
C16142_HEKLA-SOCKET-K	



Light distribution files

CITIZEN

LED	CLU02x (LES10)
Ordering code	CP18788_YASMEEN-70-RS-B2-WHT
FWHM / FWTM	16.0° / 26.0°
Efficiency	93 %
Peak intensity	11.9 cd/lm
LEDs/each optic	1
Light colour/type	White
Required components:	
BJB: 47.360.1020	



Light distribution files

CITIZEN

LED	CLU02x (LES10)
Ordering code	CP18767_YASMEEN-70-RS-C2
FWHM / FWTM	17.0° / 30.0°
Efficiency	90 %
Peak intensity	8.5 cd/lm
LEDs/each optic	1
Light colour/type	White
Required components:	
F17435_HEKLA-G2-C	



Light distribution files

LEDiL is a registered trademark of LEDiL Oy in the European Union, USA, and certain other countries.

OPTICAL RESULTS (SIMULATED):

CITIZEN

LED	CLU02x (LES10)
Ordering code	CP18579_YASMEEN-70-RS
FWHM / FWTM	16.0° / 26.0°
Efficiency	95 %
Peak intensity	11.7 cd/lm
LEDs/each optic	1
Light colour/type	White
Required components:	



Light distribution files

CITIZEN

LED	CLU02x (LES10)
Ordering code	CP18774_YASMEEN-70-RS-B2
FWHM / FWTM	16.0° / 26.0°
Efficiency	90 %
Peak intensity	12 cd/lm
LEDs/each optic	1
Light colour/type	White
Required components:	



BJB: 47.360.1020

Light distribution files

CITIZEN

LED	CLU02x (LES10)
Ordering code	CP18781_YASMEEN-70-RS-C2-WHT
FWHM / FWTM	16.0° / 26.0°
Efficiency	93 %
Peak intensity	11.8 cd/lm
LEDs/each optic	1
Light colour/type	White
Required components:	
F17435_HEKLA-G2-C	



Light distribution files

LEDiL is a registered trademark of LEDiL Oy in the European Union, USA, and certain other countries.

OPTICAL RESULTS (SIMULATED):

CITIZEN

LED	CLU700/701/702/703
Ordering code	CP18781_YASMEEN-70-RS-C2-WHT
FWHM / FWTM	10.0° / 18.0°
Efficiency	93 %
Peak intensity	24.1 cd/lm
LEDs/each optic	1
Light colour/type	White
Required components:	
F17435_HEKLA-G2-C	



Light distribution files

CITIZEN

LED	CLU700/701/702/703
Ordering code	CP18788_YASMEEN-70-RS-B2-WHT
FWHM / FWTM	10.0° / 18.0°
Efficiency	93 %
Peak intensity	24.2 cd/lm
LEDs/each optic	1
Light colour/type	White
Required components:	
BJB: 47.360.1020	



Light distribution files

CITIZEN

LED	CLU700/701/702/703
Ordering code	CP18579_YASMEEN-70-RS
FWHM / FWTM	10.0° / 18.0°
Efficiency	95 %
Peak intensity	24.2 cd/lm
LEDs/each optic	1
Light colour/type	White
Required components:	



Light distribution files

LEDiL is a registered trademark of LEDiL Oy in the European Union, USA, and certain other countries.

OPTICAL RESULTS (SIMULATED):

CITIZEN

LED	CLU700/701/702/703
Ordering code	CP18774_YASMEEN-70-RS-B2
FWHM / FWTM	10.0° / 18.0°
Efficiency	90 %
Peak intensity	24.1 cd/lm
LEDs/each optic	1
Light colour/type	White
Required components:	

BJB: 47.360.1020



Light distribution files

CITIZEN

LED	CLU7A2/7A3
Ordering code	CP18579_YASMEEN-70-RS
FWHM / FWTM	8.0° / 16.0°
Efficiency	94 %
Peak intensity	36.6 cd/lm
LEDs/each optic	1
Light colour/type	White
Required components:	



Light distribution files

CITIZEN

LED	CLU7A2/7A3
Ordering code	CP18774_YASMEEN-70-RS-B2
FWHM / FWTM	8.0° / 16.0°
Efficiency	90 %
Peak intensity	36.6 cd/lm
LEDs/each optic	1
Light colour/type	White
Required components:	

BJB: 47.360.1020



Light distribution files

LEDiL is a registered trademark of LEDiL Oy in the European Union, USA, and certain other countries.

OPTICAL RESULTS (SIMULATED):

CITIZEN

LED	CLU7A2/7A3
Ordering code	CP18788_YASMEEN-70-RS-B2-WHT
FWHM / FWTM	8.0° / 16.0°
Efficiency	93 %
Peak intensity	36.9 cd/lm
LEDs/each optic	1
Light colour/type	White
Required components:	

BJB: 47.360.1020



Light distribution files

CITIZEN

LED	CLU7A2/7A3
Ordering code	CP18774_YASMEEN-70-RS-B2
FWHM / FWTM	8.0° / 16.0°
Efficiency	89 %
Peak intensity	35.6 cd/lm
LEDs/each optic	1
Light colour/type	White
Required components:	
C18968_SOCKET-B-35-C	



Light distribution files

CITIZEN

LED	CLU7A2/7A3
Ordering code	CP18781_YASMEEN-70-RS-C2-WHT
FWHM / FWTM	8.0° / 16.0°
Efficiency	93 %
Peak intensity	36.5 cd/lm
LEDs/each optic	1
Light colour/type	White
Required components:	
F17435_HEKLA-G2-C	



Light distribution files

LEDiL is a registered trademark of LEDiL Oy in the European Union, USA, and certain other countries.

OPTICAL RESULTS (SIMULATED):

CITIZEN

LED	CLU7A3 Type-F
Ordering code	CP18774_YASMEEN-70-RS-B2
FWHM / FWTM	10.0° / 20.0°
Efficiency	88 %
Peak intensity	23.8 cd/lm
LEDs/each optic	1
Light colour/type	White
Required components:	
C18968_SOCKET-B-35-C	



Light distribution files

CITIZEN

LED	CLU7L3
Ordering code	CP18774_YASMEEN-70-RS-B2
FWHM / FWTM	6.0° / 14.0°
Efficiency	85 %
Peak intensity	46.1 cd/lm
LEDs/each optic	1
Light colour/type	White
Required components:	
C19425_SOCKET-B-35-N	



Light distribution files

CITIZEN

LED	CLU7S3
Ordering code	CP18774_YASMEEN-70-RS-B2
FWHM / FWTM	8.0° / 16.0°
Efficiency	87 %
Peak intensity	39.1 cd/lm
LEDs/each optic	1
Light colour/type	White
Required components:	
C19425_SOCKET-B-35-N	



Light distribution files

LEDiL is a registered trademark of LEDiL Oy in the European Union, USA, and certain other countries.

OPTICAL RESULTS (SIMULATED):

CITIZEN

LED	CLU7S3
Ordering code	CP18774_YASMEEN-70-RS-B2
FWHM / FWTM	8.0° / 16.0°
Efficiency	90 %
Peak intensity	37.6 cd/lm
LEDs/each optic	1
Light colour/type	White
Required components:	



Bender Wirth: 667a Bayonet35

Light distribution files

CITIZEN

LED	CLU7S3
Ordering code	CP18788_YASMEEN-70-RS-B2-WHT
FWHM / FWTM	8.0° / 16.0°
Efficiency	93 %
Peak intensity	37.9 cd/lm
LEDs/each optic	1
Light colour/type	White
Required components:	



Bender Wirth: 667a Bayonet35

Light distribution files

CREE LEDs

LED	CMA1840
Ordering code	CP18767_YASMEEN-70-RS-C2
FWHM / FWTM	22.0° / 36.0°
Efficiency	89 %
Peak intensity	5.9 cd/lm
LEDs/each optic	1
Light colour/type	White
Required components:	



Bender Wirth: 637a Hekla

Light distribution files

LEDiL is a registered trademark of LEDiL Oy in the European Union, USA, and certain other countries.

OPTICAL RESULTS (SIMULATED):

CREE LEDs

LED	CMU15xx
Ordering code	CP18767_YASMEEN-70-RS-C2
FWHM / FWTM	20.0° / 36.0°
Efficiency	89 %
Peak intensity	6.3 cd/lm
LEDs/each optic	1
Light colour/type	White
Required components:	
F17438_HEKLA-G2-I	



Light distribution files

CREE LEDs

LED	CXA/B 13xx
Ordering code	CP18767_YASMEEN-70-RS-C2
FWHM / FWTM	10.0° / 18.0°
Efficiency	88 %
Peak intensity	26.5 cd/lm
LEDs/each optic	1
Light colour/type	White
Required components:	
F17439_HEKLA-G2-J	



Light distribution files

LUMINUS

LED	CxM-11 (19x19)
Ordering code	CP18767_YASMEEN-70-RS-C2
FWHM / FWTM	18.0° / 30.0°
Efficiency	89 %
Peak intensity	8.4 cd/lm
LEDs/each optic	1
Light colour/type	White
Required components:	
F17438_HEKLA-G2-I	



Light distribution files

LEDiL is a registered trademark of LEDiL Oy in the European Union, USA, and certain other countries.

OPTICAL RESULTS (SIMULATED):

LUMINUS

LED	CxM-9 (13.5x13.5)
Ordering code	CP18767_YASMEEN-70-RS-C2
FWHM / FWTM	16.0° / 26.0°
Efficiency	90 %
Peak intensity	11.6 cd/lm
LEDs/each optic	1
Light colour/type	White
Required components:	
F17435_HEKLA-G2-C	



Light distribution files

SAMSUNG

LED	LC003D / LC006D / LC009D / LC013D
Ordering code	CP18781_YASMEEN-70-RS-C2-WHT
FWHM / FWTM	16.0° / 26.0°
Efficiency	93 %
Peak intensity	11.2 cd/lm
LEDs/each optic	1
Light colour/type	White
Required components:	
F17435_HEKLA-G2-C	



Light distribution files

SAMSUNG

LED	LC003D / LC006D / LC009D / LC013D
Ordering code	CP18788_YASMEEN-70-RS-B2-WHT
FWHM / FWTM	16.0° / 26.0°
Efficiency	92 %
Peak intensity	11.1 cd/lm
LEDs/each optic	1
Light colour/type	White
Required components:	



Light distribution files

BJB: 47.360.1020

LEDiL is a registered trademark of LEDiL Oy in the European Union, USA, and certain other countries.

OPTICAL RESULTS (SIMULATED):

SAMSUNG

LED	LC003D / LC006D / LC009D / LC013D
Ordering code	CP18767_YASMEEN-70-RS-C2
FWHM / FWTM	16.0° / 26.0°
Efficiency	90 %
Peak intensity	11.3 cd/lm
LEDs/each optic	1
Light colour/type	White
Required components:	
F17435_HEKLA-G2-C	



Light distribution files

SAMSUNG

LED	LC003D / LC006D / LC009D / LC013D
Ordering code	CP18579_YASMEEN-70-RS
FWHM / FWTM	16.0° / 26.0°
Efficiency	95 %
Peak intensity	11.3 cd/lm
LEDs/each optic	1
Light colour/type	White
Required components:	



Light distribution files

SAMSUNG

LED	LC003D / LC006D / LC009D / LC013D
Ordering code	CP18774_YASMEEN-70-RS-B2
FWHM / FWTM	16.0° / 26.0°
Efficiency	89 %
Peak intensity	11.1 cd/lm
LEDs/each optic	1
Light colour/type	White
Required components:	



Light distribution files

BJB: 47.360.1020

LEDiL is a registered trademark of LEDiL Oy in the European Union, USA, and certain other countries.

OPTICAL RESULTS (SIMULATED):

SAMSUNG

LED	LC003D / LC006D / LC009D / LC013D
Ordering code	CP18767_YASMEEN-70-RS-C2
FWHM / FWTM	16.0° / 26.0°
Efficiency	88 %
Peak intensity	11.4 cd/lm
LEDs/each optic	1
Light colour/type	White
Required components:	
F17435_HEKLA-G2-C	



Light distribution files

SAMSUNG

LED	LC016D / LC019D / LC026D / LC033D
Ordering code	CP18767_YASMEEN-70-RS-C2
FWHM / FWTM	22.0° / 38.0°
Efficiency	88 %
Peak intensity	5.3 cd/lm
LEDs/each optic	1
Light colour/type	White
Required components:	
F17438_HEKLA-G2-I	



Light distribution files

SAMSUNG

LED	LC016D / LC019D / LC026D / LC033D
Ordering code	CP18767_YASMEEN-70-RS-C2
FWHM / FWTM	22.0° / 38.0°
Efficiency	86 %
Peak intensity	5.5 cd/lm
LEDs/each optic	1
Light colour/type	White
Required components:	
F17438_HEKLA-G2-I	



Light distribution files

LEDiL is a registered trademark of LEDiL Oy in the European Union, USA, and certain other countries.

OPTICAL RESULTS (SIMULATED):

XICATO

LED	XOB 14.5 mm
Ordering code	CP18767_YASMEEN-70-RS-C2
FWHM / FWTM	20.0° / 34.0°
Efficiency	89 %
Peak intensity	6.9 cd/lm
LEDs/each optic	1
Light colour/type	White
Required components:	
F17438_HEKLA-G2-I	



Light distribution files

XICATO

LED	XOB 4mm
Ordering code	CP18767_YASMEEN-70-RS-C2
FWHM / FWTM	8.0° / 14.0°
Efficiency	91 %
Peak intensity	41.2 cd/lm
LEDs/each optic	1
Light colour/type	White
Required components:	
Bender Wirth: 634b Hekla	



Light distribution files

XICATO

LED	XOB 6 mm
Ordering code	CP18767_YASMEEN-70-RS-C2
FWHM / FWTM	10.0° / 18.0°
Efficiency	90 %
Peak intensity	27.9 cd/lm
LEDs/each optic	1
Light colour/type	White
Required components:	
Bender Wirth: 634b Hekla	



Light distribution files

LEDiL is a registered trademark of LEDiL Oy in the European Union, USA, and certain other countries.

OPTICAL RESULTS (SIMULATED):

XICATO

LED	XOB 9.8 mm
Ordering code	CP18767_YASMEEN-70-RS-C2
FWHM / FWTM	14.0° / 24.0°
Efficiency	90 %
Peak intensity	15.3 cd/lm
LEDs/each optic	1
Light colour/type	White
Required components:	
F17435_HEKLA-G2-C	



Light distribution files

LEDiL is a registered trademark of LEDiL Oy in the European Union, USA, and certain other countries.

GENERAL INFORMATION:

NOTE: The typical beam angle will be changed by different color, chip size and chip position tolerance. The typical total beam angle is the full angle measured where the luminous intensity is half of the peak value.

Due to use of high power COB's with this product, special attention to proper thermal design is highly recommended. LEDiL has no liability for direct, indirect or consecutive damages arising from the LEDiL products being used outside of the recommended temperature range.

MATERIALS:

As part of our continuous research and improvement processes, and to ensure the best possible quality and availability of our products, LEDiL reserves the right to change material grades without notice.

PRODUCT DATA USER AGREEMENT AND DISCLAIMER:

The measured data in the provided downloadable LEDiL Product Datasheets and Mechanical 2D-Drawings is rounded and provided as reference for planning. LEDiL Oy's optical specifications have been verified by conducting performance testing of the products in accordance with the company's quality system. The reported data are averaged results of multiple measurements with typical variation. LEDiL Oy reserves the right to without prior notification make changes and improvements to its products.

LEDiL Oy assumes neither warranty, nor guarantee nor any other liability of any kind for the contents and correctness of the provided data. The provided data has been generated with highest diligence but the provided data may in reality not represent the complete possible variation range of all intrinsic parameters. Therefore, in certain cases a deviation from the provided data could occur.

LEDiL Oy reserves the right to undertake technical changes of its products without further notification which could lead to changes in the provided data. LEDiL Oy assumes no liability of any kind for the possible deviation from any provided data or any other damage resulting from the usage of the provided data.

The user agrees to this disclaimer and user agreement with the download or usage of the provided files.

LEDiL Oy
Joensuunkatu 7
FI-24100 SALO
Finland

LEDiL Inc.
228 West Page Street
Suite D
Sycamore IL 60178
USA

Ledil Optics Technology (Shenzhen) Co., Ltd.
405 , Block B
Casic Motor Building
Shenzhen 518057
P.R.CHINA

Local sales and technical support
www.ledil.com/
where_to_buy

Shipping locations
Poznan, Poland
Hong Kong, China

Distribution Partners
www.ledil.com/
where_to_buy

LEDiL is a registered trademark of LEDiL Oy in the European Union, USA, and certain other countries.