

Antenna Datasheet

Product OC: YF0022DA

Version: 2.0

Date: 2023-11-20 Status: Released

Product Name: 4G PCB Antenna

Key Features:

Frequency Band: 600-960 MHz, 1710-2690 MHz

Dimensions: 40 × 15 × 0.8 mm

Efficiency: Up to 72.3 %

RoHS and REACH Compliant

Overview

This Quectel embedded 4G PCB antenna covers main 4G LTE bands and is compatible with 3G/2G/LPWA bands. Featuring high efficiency and gain, it is an ideal antenna for a smooth and stable connection with high-efficiency data transmission even under the influence of the device's internal structure. Ground plane independent, it's designed to be mounted directly to the underside of either a plastic or non-metallic enclosure. Ease of integration with a cable and connector which can be customized to meet your product design and RF module.



Contents

| Co | ntents | | 2 |
|----|--------------|---------------------------|----|
| 1 | Specificat | tion | 3 |
| | | ctrical | |
| | 1.2. Med | chanical & Environmental | 4 |
| 2 | Drawing | | 5 |
| 3 | Detailed F | Performance | 6 |
| | 3.1. S-P | Parameter Test | 6 |
| | 3.1.1. | VSWR | 6 |
| | 3.1.2. | Return Loss | 7 |
| | 3.2. Rad | diation Performance Test | 8 |
| | 3.2.1. | Efficiency | 8 |
| | 3.2.2. | Average Gain | 9 |
| | 3.2.3. | Peak Gain | 10 |
| | 3.2.4. | 3D & 2D Radiation Pattern | 11 |
| 4 | Packagin | g | 15 |
| | | | |
| Le | gal Notices | | 18 |
| Re | vision Histo | ory | 20 |



1 Specification

Test Condition: Stick to ABS board on 130 × 130 mm EVB board

1.1. Electrical

| Electrical | | | | | |
|-------------------|----------------------------|--|--|--|--|
| Frequency Range | 700–960 MHz, 1710–2690 MHz | | | | |
| Impedance | 50 Ω | | | | |
| Polarization | Linear | | | | |
| Radiation Pattern | Omni-directional | | | | |

| Electrical - Detail | | | | | | | | | | | | | |
|---------------------|-----------|------|---------------------|-------------------|---------------------|------------------|-----------|-------------|-------------|---------------------|-------|-------------|--|
| Band | Band | B71 | B12 /B13 /B28 | B5 /B8 /B26 | N74 /N75 /N76 | B1 /B2 /B3 | B40 | Wi-Fi 2G | B38 /B41 | B42 /B48 /N77 | N79 | Wi-Fi 5G | |
| SPEC | Freq. | 600- | 700- | 820- | 1420- | 1700- | | 2400- | 2500- | 3300- | 4400- | 5150- | |
| | (MHz) | 700 | 810 | 960 | 1520 | 2170 | 2400 | 2500 | 2690 | 4200 | 5000 | 5850 | |
| Max. VS | WR | 5.5 | 5.7 | 4.1 | - | 3.0 | 2.1 | 1.5 | 1.9 | - | - | - | |
| Max. Ret (dB) | urn Loss | -3.2 | -3.1 | -4.4 | - | -6.1 | -8.8 | -14.0 | -10.3 | - | - | - | |
| AVG Eff. | (%) | 13.0 | 19.7 | 28.0 | - | 47.3 | 62.1 | 67.4 | 71.0 | - | - | _ | |
| AVG AVC | Gain Gain | -8.9 | -7.1 | -5.6 | - | -3.3 | -2.1 | -1.7 | -1.5 | - | - | - | |
| Max. Pea (dBi) | ak Gain | -5.3 | -2.9 | -1.2 | _ | 0.8 | 2.6 | 2.2 | 2.4 | - | - | - | |
| VSWR | | | | | | ≤ | ≤ 5.7 | | | | | | |
| Return L | .oss | | | | | ≤ | ≤ -3.1 dB | | | | | | |
| Peak Ga | in | | | | | ≤ | 2.6 dBi | | | | | | |

Antenna_Datasheet 3 / 20




1.2. Mechanical & Environmental


| Mechanical | Mechanical | | | | | | |
|-----------------------------|--------------------------|--|--|--|--|--|--|
| Antenna Dimensions | 40 × 15 × 0.8 mm | | | | | | |
| Material & Color | PCB & Black | | | | | | |
| Cable Type & Color & Length | Ф 1.13 & Black & 74.5 mm | | | | | | |
| Connector Type | IPEX MHF 1 | | | | | | |
| Mounting Type | Adhesive | | | | | | |
| Weight | Typ. 1.6 g | | | | | | |
| Environmental | | | | | | | |
| Operation Temperature | -40 °C to +85 °C | | | | | | |
| Storage Temperature | -40 °C to +85 °C | | | | | | |
| RoHS and REACH Compliant | Yes | | | | | | |


Antenna_Datasheet 4 / 20



2 Drawing










3 Detailed Performance

3.1. S-Parameter Test

3.1.1. VSWR




VSWR

| Frequency (MHz) | 600 | 630 | 710 | 830 | 900 | 960 | 1440 | 1710 | 1740 | 1880 |
|--------------------|------|------|------|------|------|------|------|------|------|------|
| VSWR | 5.0 | 5.0 | 5.6 | 3.7 | 1.5 | 3.3 | _ | 2.0 | 1.9 | 1.7 |
| Frequency (MHz) | 1950 | 2140 | 2350 | 2450 | 2600 | 2690 | 4700 | 5000 | 5500 | 6000 |
| VSWR | 2.2 | 2.9 | 1.9 | 1.2 | 1.5 | 1.9 | - | _ | _ | - |

Antenna_Datasheet 6 / 20



3.1.2. Return Loss



Return Loss (dB)


| Frequency (MHz) | 600 | 630 | 710 | 830 | 900 | 960 | 1440 | 1710 | 1740 | 1880 |
|---------------------|------|------|------|------|-------|------|------|------|-------|-------|
| Return Loss (dB) | -3.6 | -3.6 | -3.1 | -4.9 | -14.0 | -5.4 | - | -9.8 | -10.3 | -11.5 |
| F.,, | | | | | | | | | | |
| Frequency (MHz) | 1950 | 2140 | 2350 | 2450 | 2600 | 2690 | 4700 | 5000 | 5500 | 6000 |

Antenna_Datasheet 7 / 20



3.2. Radiation Performance Test

3.2.1. Efficiency




Efficiency (%)

| Frequency (MHz) | 600 | 630 | 710 | 830 | 900 | 960 | 1440 | 1710 | 1740 | 1880 |
|--------------------|------|------|------|------|------|------|------|------|------|------|
| Efficiency (%) | 11.7 | 12.1 | 16.7 | 23.7 | 33.9 | 20.4 | - | 43.9 | 45.7 | 47.1 |
| Frequency (MHz) | 1950 | 2140 | 2350 | 2450 | 2600 | 2690 | 4700 | 5000 | 5500 | 6000 |
| Efficiency (%) | 49.8 | 44.1 | 61.1 | 67.4 | 71.6 | 67.7 | - | _ | - | - |

Antenna_Datasheet 8 / 20



3.2.2. Average Gain




Average Gain (dB)

| Frequency (MHz) | 600 | 630 | 710 | 830 | 900 | 960 | 1440 | 1710 | 1740 | 1880 |
|--------------------|------|------|------|------|------|------|------|------|------|------|
| Average Gain (dB) | -9.3 | -9.2 | -7.8 | -6.3 | -4.7 | -6.9 | - | -3.6 | -3.4 | -3.3 |
| Frequency (MHz) | 1950 | 2140 | 2350 | 2450 | 2600 | 2690 | 4700 | 5000 | 5500 | 6000 |
| , , | | | | | | | | | | |

Antenna_Datasheet 9 / 20



3.2.3. Peak Gain



Peak Gain (dBi)

| Frequency (MHz) | 600 | 630 | 710 | 830 | 900 | 960 | 1440 | 1710 | 1740 | 1880 |
|--------------------|------|------|------|------|------|------|------|------|------|------|
| Peak Gain (dBi) | -7.2 | -6.6 | -5.0 | -2.8 | -1.2 | -3.6 | - | 0.2 | 0.5 | 0.7 |
| Eroguenev | | | | | | | | | | |
| Frequency (MHz) | 1950 | 2140 | 2350 | 2450 | 2600 | 2690 | 4700 | 5000 | 5500 | 6000 |


Antenna_Datasheet 10 / 20



3.2.4. 3D & 2D Radiation Pattern


Test Condition: Stick to ABS board on 130 × 130 mm EVB board

Test Chamber: GL-S-1




Antenna_Datasheet 11 / 20






Antenna_Datasheet 12 / 20





Antenna_Datasheet 13 / 20





Antenna_Datasheet 14 / 20



4 Packaging

| Step | Packaging Picture / 2D Picture | Description |
|------|--|---|
| 1 | The control of the co | Product drawing |
| 2 | 100PCS/bag | 100 pcs antenna products in a PE bag. (100 PCS/ PE Bag) PE Bag Size: L × W = 200 × 150 mm |
| 3 | X10 bag | Place a clapboard at the bottom and top. (10 PE Bags / Carton Box) (1000 PCS Antennas / Carton Box) Estimated quantity Products that cannot fill the entire carton box are packed in a suitable size carton box. Carton Size: L × W × H = 290 × 210 × 100 mm |

Antenna_Datasheet 15 / 20



| 4 | | Position for Attaching Labels ① Carton Label ② Quality Label |
|---|---|---|
| 5 | | Sealing Cartons "工" type sealing cartons |
| 6 | The initial packaging method described about packaging method shall be subject to the acceptance. | ove is for reference only, and the final actual ctual shipping packaging. |

Antenna_Datasheet 16 / 20



Contact Us

At Quectel, our aim is to provide timely and comprehensive services to our customers. If you require any assistance, please contact our headquarters:

Quectel Wireless Solutions Co., Ltd.

Building 5, Shanghai Business Park Phase III (Area B), No.1016 Tianlin Road, Minhang District, Shanghai 200233, China

Tel: +86 21 5108 6236 Email: <u>info@quectel.com</u>

Or our local offices. For more information, please visit:

http://www.quectel.com/support/sales.htm.

For technical support, or to report documentation errors, please visit:

http://www.quectel.com/support/technical.htm.

Or email us at: support@quectel.com.

Antenna_Datasheet 17 / 20



Legal Notices

We offer information as a service to you. The provided information is based on your requirements and we make every effort to ensure its quality. You agree that you are responsible for using independent analysis and evaluation in designing intended products, and we provide reference designs for illustrative purposes only. Before using any hardware, software or service guided by this document, please read this notice carefully. Even though we employ commercially reasonable efforts to provide the best possible experience, you hereby acknowledge and agree that this document and related services hereunder are provided to you on an "as available" basis. We may revise or restate this document from time to time at our sole discretion without any prior notice to you.

Use and Disclosure Restrictions

License Agreements

Documents and information provided by us shall be kept confidential, unless specific permission is granted. They shall not be accessed or used for any purpose except as expressly provided herein.

Copyright

Our and third-party products hereunder may contain copyrighted material. Such copyrighted material shall not be copied, reproduced, distributed, merged, published, translated, or modified without prior written consent. We and the third party have exclusive rights over copyrighted material. No license shall be granted or conveyed under any patents, copyrights, trademarks, or service mark rights. To avoid ambiguities, purchasing in any form cannot be deemed as granting a license other than the normal non-exclusive, royalty-free license to use the material. We reserve the right to take legal action for noncompliance with abovementioned requirements, unauthorized use, or other illegal or malicious use of the material.

Trademarks

Except as otherwise set forth herein, nothing in this document shall be construed as conferring any rights to use any trademark, trade name or name, abbreviation, or counterfeit product thereof owned by Quectel or any third party in advertising, publicity, or other aspects.

Third-Party Rights

This document may refer to hardware, software and/or documentation owned by one or more third parties ("third-party materials"). Use of such third-party materials shall be governed by all restrictions and obligations applicable thereto.



We make no warranty or representation, either express or implied, regarding the third-party materials, including but not limited to any implied or statutory, warranties of merchantability or fitness for a particular purpose, quiet enjoyment, system integration, information accuracy, and non-infringement of any third-party intellectual property rights with regard to the licensed technology or use thereof. Nothing herein constitutes a representation or warranty by us to either develop, enhance, modify, distribute, market, sell, offer for sale, or otherwise maintain production of any our products or any other hardware, software, device, tool, information, or product. We moreover disclaim any and all warranties arising from the course of dealing or usage of trade.

Privacy Policy

To implement module functionality, certain device data are uploaded to Quectel's or third-party's servers, including carriers, chipset suppliers or customer-designated servers. Quectel, strictly abiding by the relevant laws and regulations, shall retain, use, disclose or otherwise process relevant data for the purpose of performing the service only or as permitted by applicable laws. Before data interaction with third parties, please be informed of their privacy and data security policy.

Disclaimer

- a) We acknowledge no liability for any injury or damage arising from the reliance upon the information.
- b) We shall bear no liability resulting from any inaccuracies or omissions, or from the use of the information contained herein.
- c) While we have made every effort to ensure that the functions and features under development are free from errors, it is possible that they could contain errors, inaccuracies, and omissions. Unless otherwise provided by valid agreement, we make no warranties of any kind, either implied or express, and exclude all liability for any loss or damage suffered in connection with the use of features and functions under development, to the maximum extent permitted by law, regardless of whether such loss or damage may have been foreseeable.
- d) We are not responsible for the accessibility, safety, accuracy, availability, legality, or completeness of information, advertising, commercial offers, products, services, and materials on third-party websites and third-party resources.

Copyright © Quectel Wireless Solutions Co., Ltd. 2023. All rights reserved.

Antenna_Datasheet 19 / 20



Revision History

| Version | Date | Author | Note |
|---------|------------|--|--|
| - | 2023-02-07 | Richard LIU/ Joye WANG | Creation of the document |
| 1.0 | 2023-02-07 | Richard LIU/ Joye WANG | First official release |
| 2.0 | 2023-09-07 | Edwin XIAO/ Lucky FENG/ David LIU/ Aria CHU | Updated all test data in this datasheet. |
| 2.1 | 2023-11-20 | Edwin XIAO | Updated test data of the tables (Chapter 3). |

Antenna_Datasheet 20 / 20



www.quectel.com

