





Clamp Filters (Ferrite Core with Case)

ZCAT1730-0730A-BK

| | |
|---------------------------------|---|
| Product Status | Production |
| Applications | Commercial Grade |
| Product Type | Fixed cable type |
| Applicable Cable Size | Φ4mm to Φ7mm |
| Series | ZCAT |
| Brand | TDK |
| Environmental Compliance |     |




Size

| | |
|---|-----------------|
| A | 30.00mm ±1.00mm |
| B | 23.00mm ±1.00mm |
| C | 7.00mm ±1.00mm |
| D | 16.50mm ±1.00mm |
| E | 15.00mm ±1.00mm |

Electrical Characteristics

| | |
|----------------------|--------------------|
| Impedance (Min.) / Ω | 40 (10 to 100MHz) |
| | 80 (100 to 500MHz) |

Other

| | |
|-----------------------|--|
| Operating Temp. Range | -40 to 85°C |
| AEC-Q200 | NO |
| Case Color | Black |
| Package Quantity | 840pcs |
| Weight | 11.6g |
| FIT (Failure In Time) |  This will be displayed when you login to myTDK |


! Images are for reference only and show exemplary products.

! This PDF document was created based on the data listed on the TDK Corporation website.

! All specifications are subject to change without notice.

ZCAT1730-0730A-BK

Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)



! Images are for reference only and show exemplary products.
! This PDF document was created based on the data listed on the TDK Corporation website.
! All specifications are subject to change without notice.

Associated Images

