



AC/DC adapter

Model: **AK-ND-30**

2.5 mm
5.5 mm
12.0 V / 5.00 A / 60 W



Product code	AK-ND-30
Product type	AC/DC adapter
Compatible with	Mini PC, LED
Series	Dedicated
Responsible Entity	Akyga Europe Sp. z o.o., 52-200 Suchy Dwór, Wrocławska 1c, Polska/Poland, contact@akyga.com
Supply voltage	100-250 V
Power consumption	< 1.5 A
Efficiency	> 80 %
Output voltage	12 V
Output amperage	5 A
Outlet cord length	1.2 m
Output connector	5.5 x 2.5 mm
Maximum power	60 W
Power inlet	IEC C6
Mechanical switch	None
Ground wire	Yes
Soft start	Yes
OVP	Yes
OCP	Yes
OPP	Yes
OTP	Yes
SCP	Yes
USB connector	None
Power cable included	No
Material	ABS
Product color	Black
Backlight color	Green LED
Display	None
MTBF	100000 h
Temperature	5 - 50 °C
Package	EcoBox
Product size (L x W x H)	114 x 49 x 30 mm
Package size (L x W x H)	190 x 92 x 38 mm
Net weight	245 g
Gross weight	294 g
CE compatibility	Yes
FCC compatibility	Yes
RoHS compatibility	Yes
REACH compatibility	Yes

EAN code	5901720135070
Warranty	24 months



Description

Akyga® AK-ND-30 is a **notebook dedicated power supply** for devices powered with **12V/5A, 60W** power and **5.5*2.5 mm** plug. It can also be used as a power source for LED strips and other devices requiring a constant voltage of 12 V (printers, scanners, monitors, routers).

The cord of the power adapter has been equipped with a high-quality **ferrite core** that prevents and protects devices from any possible mode currents and high frequency noise.

A set of protectors (OVP, OTP, OPP, SCP and OCP) guarantees 100% secure, stable work both powered device and the power supply. Additional safety for the equipment is provided by the soft start technology, which neutralizes the shock of the first stroke of current during the device startup.

All **Akyga** power supplies are provided in an environmentally friendly **EcoBox**.

We encourage you to use our [notebook power adapter search engine](#).