

SCREWDRIVERS

with special square pattern Bernstein handle
from impact-resistant, transparent yellow plastic

Engineer's screwdrivers

Blade: chrome vanadium, hardened over its full length, chrome-plated

No.	Blade length mm	Blade width mm	Blade thickness mm	Handle size mm	Weight
4-102 S	75	3.5	0.6	86 x 19	37 g
4-103 S	100	4.0	0.6	92 x 21	46 g
4-104 S	150	5.0	0.8	100 x 23	75 g
4-105 S	200	6.0	1.0	110 x 25	112 g
4-115 S	200	3.0	0.5	86 x 19	40 g
4-125 S	100	6.0	1.0	110 x 25	90 g
4-135 S	150	8.0	1.2	110 x 25	133 g

Screwdrivers to DIN 5265

Blade: chrome vanadium, hardened over its full length, chrome-plated, black tip

No.	Blade length mm	Blade width mm	Blade thickness mm	Handle size mm	Weight
4-141	75	3.5	0.6	86 x 19	35 g
4-142	100	4.0	0.8	92 x 21	46 g
4-143	125	5.5	1.0	100 x 23	75 g
4-144	150	6.5	1.2	110 x 25	110 g
4-145	150	8.0	1.2	110 x 25	144 g

Swiss standard screwdrivers

Blade: chrome vanadium, hardened over its full length, chrome-plated, black tip

No.	Size	Blade length mm	Blade width mm	Blade thickness mm	Handle size mm	Weight
4-151	0	80	2.5	0.4	86 x 19	30 g
4-152	1	90	3.5	0.5	86 x 19	35 g
4-153	2	100	4.0	0.6	92 x 21	46 g
4-154	3	120	5.5	0.8	100 x 23	70 g
4-155	4	140	6.5	1.0	110 x 25	100 g
4-156	5	160	8.0	1.2	110 x 25	120 g
4-157	6	180	10.0	1.6	110 x 25	150 g

Cross-recess screwdrivers

Blade: chrome vanadium, hardened over its full length, chrome-plated, black tip

No.	Size	Blade length mm	Blade-Ø mm	Handle size mm	Weight
4-255	0	60	3.0	86 x 19	25 g
4-256	1	80	4.5	92 x 21	49 g
4-257	2	100	6.0	100 x 23	78 g
4-258	3	150	8.0	110 x 25	137 g

Cross-recess screwdrivers Pozidriv

Blade: chrome vanadium, hardened over its full length, chrome-plated, black tip

No.	Size	Blade length mm	Blade-Ø mm	Handle size mm	Weight
4-271	0	60	3.0	86 x 19	25 g
4-272	1	80	4.5	92 x 21	49 g
4-273	2	100	6.0	100 x 23	78 g
4-274	3	150	8.0	110 x 25	140 g

Very long screwdrivers

Blade: chrome vanadium, hardened over its full length, chrome-plated, black tip

No.	Blade length mm	Blade width mm	Blade thickness mm	Handle size mm	Weight
4-222	260	3.0	0.5	92 x 21	50 g
4-223	260	4.5	1.0	92 x 21	70 g
4-224	300	5.5	1.2	100 x 23	108 g

Cross-recess screwdrivers

4-227	300	size 1	blade Ø 4.5	100 x 23	87 g
4-228	300	size 2	blade Ø 6.0	100 x 23	120 g
4-229	300	size 3	blade Ø 8.0	110 x 25	190 g

All screwdrivers can be supplied with insulated blades.
In this case the article number gets the suffix "-1".



SCREWDRIVERS

Cross-recess screwdrivers

Blade: chrome vanadium, hardened over its full length, nickel-plated

Handle: impact-resistant, transparent plastic

No.	Size	Blade length mm	Blade-Ø mm	Handle size mm	Weight
4-251	0	60	3.0	80 x 16	20 g
4-252	1	80	4.5	90 x 18	36 g
4-253	2	100	6.0	98 x 21	60 g
4-254	3	150	8.0	103 x 24	125 g
4-261	01	25	4.5	50 x 29	43 g
4-262	02	25	6.0	55 x 30	46 g

Electrician's screwdrivers

Blade: chrome vanadium, plane-parallel, hardened over its full length, nickel-plated

Handle: impact-resistant, transparent yellow plastic

No.	Blade length mm	Blade width mm	Blade thickness mm	Handle size mm	Weight
4-201	75	3.0	0.4	80 x 16	21 g
4-202	100	3.0	0.4	80 x 16	23 g
4-203	150	3.0	0.4	90 x 18	31 g
4-204	100	4.0	0.5	90 x 18	34 g
4-205	150	4.0	0.6	98 x 21	49 g
4-206	150	5.0	0.8	98 x 21	58 g
4-207	200	5.0	0.8	98 x 21	66 g

Chubby screwdrivers

Blade: chrome vanadium, nickel-plated

Handle: impact-resistant, transparent plastic

4-321	25	4.0	0.8	55 x 30	41 g
4-322	25	6.5	1.2	55 x 30	46 g

Miniature screwdriver

Blade: special steel, nickel-plated

Handle: transparent yellow plastic

4-301	40	1.8	0.5	45 x 9	3 g
-------	----	-----	-----	--------	-----

Screwdriver for grub screws

Blade: chrome vanadium, plane-parallel, nickel-plated

Handle: impact-resistant, transparent yellow plastic

4-311	80	2.8	0.6	60 x 11	10 g
-------	----	-----	-----	---------	------

Radio screwdrivers

Blade: chrome vanadium, nickel-plated

Handle: transparent yellow plastic

4-315	40	3.0	0.8	60 x 11	8 g
4-316	60	3.0	0.8	60 x 11	9 g
4-317	80	3.0	0.8	60 x 11	10 g

Mechanic's screwdriver

Blade: special steel, nickel-plated

Handle: impact-resistant, transparent plastic

4-331	45	6.0	1.0	80 x 16	26 g
-------	----	-----	-----	---------	------

Special screwdriver for cabinet screws

Blade: special steel, chrome-plated

Handle: impact-resistant, transparent yellow plastic

4-335	70	9.0	1.0	92 x 21	43 g
-------	----	-----	-----	---------	------

Screwdrivers with voltage tester (Export models)

No. 4-341 for 110 - 380 V, No. 4-342 for 100 - 500 V

Blade: chrome vanadium, nickel-plated, fully insulated

Handle: transparent yellow plastic

4-341	40	3.0	0.6	72 x 14	14 g
4-342	95	4.0	0.8	85 x 18	33 g

VDE-voltage testers, 220 - 250 V, to VDE regulations 0426

Blade: chrome vanadium, nickel-plated, fully insulated

Handle: transparent plastic

4-343 VDE	60	3.0	0.7	76 x 15	15 g
4-344 VDE	100	3.5	0.7	92 x 18	31 g

Offset screwdrivers

Material: chrome vanadium, nickel-plated

No.	Total length mm	Blade width mm	Blade thickness mm	Blade-Ø mm	Weight
4-351	100	5.0	0.65	4.5	15 g
4-352	125	6.0	0.80	6.0	32 g



SCREWDRIVERS EUROLINE-POWER

The ergonomical formed hexagon handle consisting of hard and soft two-coloured components enables by a good power transmission a sparingly use of strength in operation.

Furthermore the slip off protection garanties a sturdy and safety screwing.

Blade: chrom vanadium, hardened over its full length, matt chrome-plated, with black tip

Handle: impact-resistant, two-coloured plastic, with slip off protection and practical hanging up hole

Workshop-Screwdrivers



No.	Blade length mm	Blade width mm	Blade thickness mm	Handle size mm	Weight
4-502	75	3.0	0.5	94 x 26	36 g
4-503	100	4.0	0.8	94 x 26	42 g
4-504	100	5.0	1.0	105 x 30	64 g
4-506	125	6.0	1.2	117 x 33	98 g
4-508	150	7.0	1.2	117 x 33	120 g
4-509	175	8.0	1.2	128 x 36	166 g



Electrician´s Screwdrivers



No.	Blade length mm	Blade width mm	Blade thickness mm	Handle size mm	Weight
4-522	75	3.0	0.5	94 x 26	36 g
4-523	100	4.0	0.8	94 x 26	40 g
4-524	150	5.0	1.0	105 x 30	72 g
4-525	200	5.0	1.0	105 x 30	80 g



Cross-recess screwdrivers



No.	Size	Blade length mm	Blade-Ø mm	Handle size mm	Weight
4-532	0	60	3.0	94 x 26	34 g
4-533	1	80	4.5	105 x 30	56 g
4-534	2	100	6.0	117 x 33	84 g
4-535	3	150	8.0	128 x 36	158 g



Cross-recess screwdrivers Pozidriv



No.	Size	Blade length mm	Blade-Ø mm	Handle size mm	Weight
4-542	0	60	3.0	94 x 26	34 g
4-543	1	80	4.5	105 x 30	56 g
4-544	2	100	6.0	117 x 33	84 g
4-545	3	150	8.0	128 x 36	158 g



TORX-Screwdrivers



No.	Size	Blade-length mm	for metric Thread	Handle size mm	Weight
6-981	T 6	50	M 2	94 x 26	36 g
6-982	T 7	50	M 2.5	94 x 26	36 g
6-983	T 8	60	M 2.5	94 x 26	38 g
6-984 L	T 9	60	M 3	94 x 26	38 g
6-985 L	T 10	80	M 3-3.5	94 x 26	40 g
6-986 L	T 15	80	M 3.5-4	105 x 30	54 g
6-987 L	T 20	100	M 4-5	105 x 30	56 g
6-988 L	T 25	100	M 4.5-5	105 x 30	60 g
6-989 L	T 27	115	M 4.5-5-6	105 x 30	68 g
6-991 L	T 30	115	M 6-7	117 x 33	96 g



from size T 9 with bore-hole in the tip



ESD/EGB ELECTRONICS SCREWDRIVERS



with slim, ergonomically formed handles from black **conductive** plastic. The centring head guarantees a precise working without exhaustion.

Blade: chrome vanadium, hardened over its full length, chrome-plated, with black tip

Handle: impact-resistant **conductive**, black plastic, electrostatic discharge according to DIN EN 100015/1

Screwdrivers

No.	Blade length mm	Blade width mm	Blade thickness mm	Blade Ø mm	Handle length mm	Weight
4-601	50	0.8	0.20	2.5	90	12 g
4-602	50	1.2	0.25	2.5	90	12 g
4-603	50	1.5	0.25	2.5	90	12 g
4-604	50	1.8	0.25	2.5	90	12 g
4-605	60	2.0	0.40	2.5	90	12 g
4-606	60	2.5	0.40	2.5	90	12 g
4-607	60	3.0	0.50	3,0	90	14 g

Cross-recess Screwdrivers

PH

No.	Size	Blade length mm	Blade Ø mm	Handle length mm	Weight
4-621	000	50	2.5	90	12 g
4-622	00	50	2.5	90	12 g
4-623	0	50	3.0	90	14 g

4-610 6-piece screwdriver set

in a practical table support from **conductive** material

Contents: 6 screwdrivers No. 4-601, 4-603, 4-604, 4-605, 4-606, 4-607

Weight: 141 g

4-620 6-piece screwdriver and cross-recess screwdriver set

in a practical table support from **conductive** material

Contents: 3 screwdrivers No. 4-602, 4-605, 4-607

3 cross-recess screwdrivers No. 4-621, 4-622, 4-623

Weight: 145 g

ESD/EGB SCREWDRIVERS

with special-square pattern handle from impact-resistant, **conductive** black plastic

Blade: chrome vanadium, hardened over its full length, chrome-plated, with black tip

Handle: impact-resistant, **conductive**, black plastic, electrostatic discharge according to DIN EN 100015/1

Screwdrivers

No.	Blade length mm	Blade width mm	Blade thickness mm	Handle size mm	Weight
4-632	100	4.0	0.8	92 x 21	46 g
4-633	125	5.5	1.0	100 x 23	75 g
4-643	300	5.5	1,2	100 x 23	108 g

Cross-recess screwdrivers

PH

No.	Size	Blade length mm	Blade Ø mm	Handle size mm	Weight
4-652	1	80	4.5	92 x 21	49 g
4-653	2	100	6.0	100 x 23	78 g

Cross-recess screwdrivers Pozidriv

PZ

4-662	1	80	4.5	92 x 21	49 g
4-663	2	100	6.0	100 x 23	78 g



ELECTRONICS SCREWDRIVERS

with slim, ergonomically formed handles and swivel top

Blade: chrome vanadium, hardened over its full length, chrome-plated, with black tip

Handle: impact-resistant, grey plastic material, swivel top, amber-coloured

Screwdrivers

No.	Blade length mm	Blade width mm	Blade thickness mm	Blade Ø mm	Handle length mm	Weight
4-161	40	1.0	0.20	2.5	100	11 g
4-162	40	1.5	0.25	2.5	100	11 g
4-163	40	2.0	0.40	2.5	100	11 g
4-164	50	2.5	0.40	2.5	100	11 g
4-165	50	3.0	0.50	3.0	100	13 g
4-166	100	2.0	0.40	2.0	100	11 g
4-167	100	2.5	0.40	2.5	100	13 g
4-169	150	3.0	0.50	3.0	100	18 g

Cross-recess screwdrivers

PH 

No.	Size	Blade length mm	Blade Ø mm	Handle length mm	Weight
4-281	000	40	2.5	100	11 g
4-282	00	40	2.5	100	11 g
4-283	0	50	3.0	100	13 g
4-284	1	60	4.0	100	23 g
4-285	1	150	4.0	100	27 g

TORX-Screwdrivers



No.	Size mm	Blade length mm	for metric thread	Handle length mm	Weight
6-679	T 4	40	M 1.4-1.6	100	10 g
6-681	T 5	40	M 1.6-2	100	10 g
6-682	T 6	40	M 2	100	11 g
6-683	T 7	40	M 2.5	100	11 g
6-684	T 8	40	M 2.5	100	12 g
6-685 L	T 9	50	M 3	100	12 g
6-686 L	T 10	50	M 3-3.5	100	13 g

from Size T 9 with bore-hole in the tip



4-170 6-piece screwdriver and cross-recess screwdriver set

in a practical table support

Contents: 4 Screwdrivers No. 4-162, 4-163, 4-164 + 4-165
2 Cross-recess screwdrivers No. 4-282 + 4-283

Weight: 125 g

4-180 6-piece screwdriver and cross-recess screwdriver set

in a practical table support

Contents: 3 Screwdrivers No. 4-161, 4-162 + 4-163
3 Cross-recess screwdrivers No. 4-281, 4-282 + 4-283

Weight: 115 g

4-190 6-piece screwdriver and cross-recess screwdriver set

in a practical table support

Contents: 5 Screwdrivers No. 4-161, 4-162, 4-163,
4-164 + 4-165,

1 Cross-recess screwdriver No. 4-284

Weight: 135 g

6-680 6-piece TORX-Screwdriver set

in a practical table support

Contents: 6 TORX-Screwdrivers No. 6-681, 6-682, 6-683,
6-684, 6-685 + 6-686

Weight: 155 g



SCREWDRIVER SETS



4-910 9-piece interchangeable screwdriver set

double-ended screwdrivers in a useful folding plastic box for setting up or hanging up at the workshop place

Blades: chrome vanadium, hardened over their full lengths, matt-chrome plated, double ended, overall length 120 mm

Handle: for interchangeable blades with large absorption capacity, gripping collet and swivel top

Contents: handle as described above
screwdriver blade widths: 1.5 / 3.0 mm, 2.0 / 3.5 mm,
2.5 / 4.0 mm
cross-recess blades: size 000 / 00, size 0 / 1
TORX-screwdriver blades: T 6 / T 8, T 7 / T 9, T 10 / T 15

Weight: 150 g



4-950 11-piece interchangeable screwdriver set TRI WING / TORX

10 interchangeable blades and 1 handle packed in a sturdy canvas wallet with stick fastener

Blades: chrome vanadium, hardened over their full length, matt-polished, overall length 140 mm

Handle: for interchangeable blades with large absorption capacity, gripping collet and swivel top

Contents: handle as described above
TRI WING- blades: TW 1, TW 2, TW 3, TW 4
TORX-blades: T 10, T 15, T 20, T 25, T 27, T 30

Weight: 375 g



4-800 60-piece radio-screwdriver stand


Contents: 20 screwdrivers each No. 4-311, 4-315, 4-316, with chrome vanadium blades and transparent yellow plastic handles

Weight: 600 g

4-810 60-piece screwdriver stand

Contents: 20 screwdrivers each with tool steel blades, 40 x 3.0 mm, 60 x 3.0 mm and 80 x 3.0 mm and coloured plastic handles

Weight: 580 g



4-820 60-piece miniature screwdriver stand

Contents: 60 screwdrivers with tool steel blades, 40 x 1.8 mm and transparent yellow plastic handles

Weight: 235 g

4-850 7-piece screwdriver set

with special square pattern Bernstein handles visible packed in a carton box

Contents: 1 screwdriver each No. 4-102 S, 4-103 S, 4-104 S, 4-125 S, 4-271, 4-272 and 1 voltage tester No. 4-343 VDE

Weight: 470 g



4-530 6-piece screwdriver set

from series EUROline-Power, visible packed in a carton box

Contents: 1 workshop screwdriver each No. 4-504, 4-506
1 electrician's screwdriver each No. 4-523, 4-524
1 cross-recess screwdriver PH No. 4-533, 4-534

Weight: 540 g

WATCHMAKER'S SCREWDRIVERS

Cross-recess watchmaker's screwdrivers

Blade: chrome vanadium, burnished

Handle: metal, nickel-plated, with swivel top

No.	Size	Blade length mm	Total length mm	Weight
4-364	000	21	92	9 g
4-366	00	21	92	9 g
4-367	0	21	105	18 g
4-368	1	21	117	34 g

Watchmaker's screwdrivers

Blade: chrome vanadium, burnished

Handle: metal, nickel-plated, with swivel top

No.	Blade length mm	Blade width mm	Total length mm	Weight
4-371	14	1.0	85	7 g
4-372	18	1.5	90	7 g
4-373	21	2.0	105	18 g
4-374	24	2.5	108	18 g
4-375	24	3.0	120	37 g
4-376	27	3.5	123	38 g

4-360 3-piece watchmaker's screwdriver set

in a plastic wallet

Contents: 2 watchmaker's screwdrivers No. 4-372 + 4-374

1 cross-recess watchmaker's screwdriver No. 4-367

Weight: 68 g

4-365 3-piece watchmaker's screwdriver set

in a plastic wallet

Contents: 3 cross-recess screwdrivers No. 4-366, 4-367 + 4-368

Weight: 66 g

4-370 6-piece watchmaker's screwdriver set

in a metal case

Contents: 6 watchmaker's screwdrivers No. 4-371 - 4-376

Weight: 480 g

Watchmaker's screwdrivers

Blade: chrome vanadium, burnished

Handle: black plastic, with swivel top and colour coding

No.	Blade length mm	Blade width mm	Total length mm	Weight
4-381	18	1.0	104	5 g
4-382	18	1.5	104	6 g
4-383	18	2.0	104	6 g
4-384	18	2.5	104	6 g
4-385	18	3.0	104	6 g

4-380 5-piece watchmaker's screwdriver set

in a plastic box

Contents: 5 watchmaker's screwdrivers No. 4-381 - 4-385

Weight: 64 g

Watchmaker's storage screwdrivers with interchangeable blades

Blades: chrome vanadium, burnished

Handle: metal magazine, nickel-plated, with swivel top

4-391 Watchmaker's screwdriver magazine with 4 bits

1.5 - 2.0 - 2.5 - 3.0 mm blade width

Weight: 31 g

4-392 Watchmaker's screwdriver magazine with 4 bits

1.5 - 2.0 - 2.5 - 3.0 mm blade width

and 1 cross-recess blade size 0

Weight: 32 g

4-393 Watchmaker's screwdriver magazine with 3 bits

1.5 - 2.0 - 2.5 mm blade width and 2 cross-recess blades

Size 00 and 000


Weight: 32 g



RETAINING SCREWDRIVERS

TRIC screw holders

for inserting slotted screws into places difficult to reach



"TRIC" is especially easy to use. Push lever A as far as the stop with your thumb; insert blade B into the screw slot and release lever A. The screw is tight and can now be inserted into the hole. Release the holder by pressing lever A lightly in the same direction.

Special advantage:

Projecting controls do not hamper vision

Blade: special steel, plane-parallel, nickel-plated

Handle: impact-resistant, transparent yellow plastic

Do not use for tightening or undoing screws!

No.	Blade length mm	Blade width mm	Blade-Ø mm	Handle size mm	Weight
4-401	40	6.0	6.0	98 x 19	44 g
4-402	140	6.0	6.0	98 x 19	65 g
4-403	180	6.0	6.0	98 x 19	76 g
4-404	295	4.0	4.0	70 x 15	42 g
4-405	40	4.0	4.0	70 x 15	18 g
4-406	80	4.0	4.0	70 x 15	22 g
4-407	110	4.0	4.0	70 x 15	25 g
4-408	200	4.0	4.0	70 x 15	35 g
4-409	295	6.0	6.0	98 x 19	98 g

On request, all screw holders can be supplied with insulated blades.

Retaining screwdrivers

for inserting and tightening **slotted screws**

Blade: chrome vanadium, burnished, insulated

Handle: impact-resistant, transparent yellow plastic or black plastic for VDE-types

No.	Blade length mm	Blade width mm	Blade thickness mm	Handle size mm	Weight
4-431	100	3.0	0.5	90 x 18	35 g
4-432	125	4.0	0.6	100 x 22	65 g
4-433	150	5.0	0.8	105 x 24	93 g
4-441 VDE	100	3.0	0.5	90 x 18	34 g
4-442 VDE	125	4.0	0.6	100 x 22	58 g
4-443 VDE	150	5.0	0.8	105 x 24	88 g

Retaining screwdrivers

for inserting and tightening **cross-recess screws**

Blade: chrome vanadium, burnished, insulated

Handle: impact-resistant, transparent yellow plastic or black plastic for VDE-types

No.	Size	Blade length mm	Blade-Ø mm	Handle size mm	Weight
4-436	0	125	4.0	100 x 22	63 g
4-437	1	150	5.0	105 x 24	93 g
4-438	2	175	6.0	105 x 24	117 g
4-446 VDE	0	125	4.0	100 x 22	58 g
4-447 VDE	1	150	5.0	105 x 24	88 g
4-448 VDE	2	175	6.0	105 x 24	110 g



Screwdriver with guide sleeve

for easy, reliable adjustment of screw-type resistors and potentiometers with slotted shanks of 3.2 mm Ø

Blade: chrome vanadium, nickel-plated

Handle: impact-resistant, transparent yellow plastic

No.	Blade length mm	Blade width mm	Handle size mm	Weight
2-145	80	2.8	60 x 11	12 g



SAFETY TOOLS

BERNSTEIN VDE screwdrivers and VDE cross-recess screwdrivers are monitored by the VDE Test Centre.

Random samples are taken and type tests are performed in accordance with the regulations.

Permissible voltage at which the VDE screwdrivers can be used:
1000 V a.c. or 1500 V d.c.

The handle and blade insulation is moulded in one piece and is therefore permanently connected.



Safety insulated screwdrivers

to DIN 5265 VDE regulations EN 60.900

Blade: chrome vanadium, hardened over its full length, burnished

Handle: impact-resistant, red coated plastic

No.	Blade length mm	Blade width mm	Blade thickness mm	Handle size mm	Weight
14-601 VDE	75	2.5	0.4	80 x 18	18 g
14-602 VDE	100	3.5	0.5	80 x 18	24 g
14-603 VDE	100	4.0	0.6	80 x 18	27 g
14-604 VDE	125	5.5	0.8	100 x 24	64 g
14-606 VDE	150	6.5	1.0	100 x 24	83 g
14-608 VDE	175	8.0	1.2	110 x 26	133 g



Safety insulated cross-recess Phillips screwdrivers

to DIN 5262 VDE regulations EN 60.900

Blade: chrome vanadium, hardened over its full length, burnished

Handle: impact-resistant, red coated plastic

No.	Size	Blade length mm	Blade Ø mm	Handle size mm	Weight
14-631 VDE	0	60	3.0	80 x 18	20 g
14-632 VDE	1	80	4.5	90 x 21	35 g
14-633 VDE	2	100	6.0	100 x 24	62 g
14-634 VDE	3	150	8.0	110 x 26	125 g



Safety insulated Pozidriv cross-recess screwdrivers

to VDE regulations EN 60.900

Blade: chrome vanadium, hardened over its full length, burnished

Handle: impact-resistant, red coated plastic

No.	Size	Blade length mm	Blade Ø mm	Handle size mm	Weight
14-641 VDE	0	60	3.0	80 x 18	20 g
14-642 VDE	1	80	4.5	90 x 21	34 g
14-643 VDE	2	100	6.0	100 x 24	62 g
14-644 VDE	3	150	8.0	110 x 26	115 g



14-600 VDE 7-piece VDE screwdriver set

visibly packed in a carton box

- Contents:
- 14-601 VDE 2.5 x 0.4 mm screwdriver
 - 14-602 VDE 3.5 x 0.5 mm screwdriver
 - 14-604 VDE 5.5 x 0.8 mm screwdriver
 - 14-606 VDE 6.5 x 1.0 mm screwdriver
 - 14-631 VDE cross-recess screwdriver, size 0
 - 14-632 VDE cross-recess screwdriver, size 1
 - 4-343 VDE voltage tester, 150 V - 250 V

Weight: 350 g

