

SPECIFICATION FOR APPROVAL



CUSTOMER Comet Electronics

CUSTOMER'S DWG NO. _____

CUSTOMER'S PART NO _____

OUR DWG NO. RB3613004

QUANTITY _____ **DATE: MAR. 5, 2013**

ITEM. RC0608U-150M

	√	CUSTOMER'S SIGNATURE	NOTE
FULL APPROVED			
CONDITIONAL APPROVED			
REJECTED			

PLEASE RETURN AFTER APPROVING





CORE MASTER ENTERPRISE CO., LTD.

**TAIWAN: 7F-1, No.129, Lane 235, Baoqiao Rd., Xindian City,
Taipei County 231, Taiwan (R.O.C.)**

TEL:886-2-89191288 FAX:886-2-89191298
<http://www.coremaster.com.tw>

CHINA: TIANXIN, TANGXIA TOWN, DONGGUAN, GUANGDONG, CHINA
TEL:86-769-82037061 FAX:86-769-82037060

SPECIFICATION FOR APPROVAL

CUSTOMER:		DATE:		
PART NO: RC0608U-150M		DWG.NO: RB3613004		
CUSTOMER PART NO:		CUST.DWG.NO:		
(1) DIMENSION(UNIT: mm) 		A	9.0 (MAX)	m/m
		B	10.5 (MAX)	m/m
		C	10.0 ± 2.0	m/m
		D	3.0 (REF)	m/m
		E	0.65 ± 0.1	m/m
		F		m/m
		G		m/m
		H		m/m
		(2)ELECTRICAL REQUIREMENTS		(3)SCHEMATIC
L (uH)	15 ± 20%			
RDC (mΩ)	70 (MAX)			
IDC (A)	2 (MAX)			
TEST CONDITION	1KHz / 0.25V			
(4)MATERIAL LIST				
NO/ITEM	MATERIAL	SUPPLIER		
CORE	K3B DR2W 6×8F 3-4-3 或同等級	FEIJIN		
WIRE TYPE	2UEW φ 0.4×1C 或同等級	TAIPINGYANG		
WINDING	23.5TS(REF)			
TUBE	UL φ 6× 10mm 或同等級	GODDESS		
		APPROVED BY 吳載敏		
		CHECKED BY 張明德		
		DRAWN BY Summer		

CORE MASTER ENTERPRISE CO., LTD.

TEL:886-2-8919-1288 FAX:886-2-8919-1298 WEB:www.coremaster.com.tw

TEST DATA

CUSTOMER:				DATE:				
PART NO: RC0608U-150M				DWG.NO: RB3613004				
CUSTOMER PART NO :				CUST.DWG.NO :				
TEST CONDITION: 1KHz / 0.25V				DIMENSION (UNIT : mm)				
ITEM	L (uH)	RDC (mΩ)	IDC (A)	A	B	C	D	E
SPEC	15 ±20%	70 (MAX)	2 (MAX)	9.0 (MAX)	10.5 (MAX)	10.0. ± 2.0	3.0 (REF)	0.65 ± 0.1
1	14.9	50	OK	7.4	9.1	10.1	3.0	0.65
2								
3								
4								
5								
6								
7								
8								
9								
10								
\bar{X}								
R								
TEST INSTRUMENTS CH101 CH301A						APPROVED BY 吳載敏		
						CHECKED BY 張明德		
						DRAWN BY Summer		

CORE MASTER ENTERPRISE CO., LTD.

TEL:886-2-8919-1288 FAX:886-2-8919-1298 WEB:www.coremaster.com.tw