

SPECIFICATION FOR APPROVAL



CUSTOMER Comet Electronics

CUSTOMER'S DWG NO. _____

CUSTOMER'S PART NO _____

OUR DWG NO. RB3604211

QUANTITY _____ **DATE:** Dec. 17, 2012

ITEM. RC0608U-101M

	✓	CUSTOMER'S SIGNATURE	NOTE
FULL APPROVED			
CONDITIONAL APPROVED			
REJECTED			

PLEASE RETURN AFTER APPROVING








CORE MASTER ENTERPRISE CO., LTD.

**TAIWAN: 7F-1, No.129, Lane 235, Baoqiao Rd., Xindian City,
Taipei County 231, Taiwan (R.O.C.)**

TEL:886-2-89191288 FAX:886-2-89191298
<http://www.coremaster.com.tw>

CHINA: TIANXIN, TANGXIA TOWN, DONGGUAN, GUANGDONG, CHINA
TEL:86-769-82037061 FAX:86-769-82037060




SPECIFICATION FOR APPROVAL

CUSTOMER:		DATE:															
PART NO: RC0608U-101M		DWG.NO: RB3604211															
CUSTOMER PART NO:		CUST.DWG.NO:															
<p>(1) DIMENSION(UNIT: mm)</p> 		A 9.0 (MAX) m/m															
		B 11.0 (MAX) m/m															
		C 10.0 (MIN) m/m															
		D 3.0 (REF) m/m															
		E 0.6 ± 0.1 m/m															
		F m/m															
		G m/m															
		H m/m															
		I m/m															
		J m/m															
		<p>(2) ELECTRICAL REQUIREMENTS</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 25%;">L (uH)</td> <td style="text-align: center;">100 ± 20%</td> </tr> <tr> <td>RDC (mΩ)</td> <td style="text-align: center;">410 (MAX)</td> </tr> <tr> <td>IDC (mA)</td> <td style="text-align: center;">800 (MAX)</td> </tr> <tr> <td>TEST CONDITION</td> <td style="text-align: center;">1KHz / 0.25V</td> </tr> <tr> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> </tr> </table>		L (uH)	100 ± 20%	RDC (mΩ)	410 (MAX)	IDC (mA)	800 (MAX)	TEST CONDITION	1KHz / 0.25V					<p>(3) SCHEMATIC</p> 	
				L (uH)	100 ± 20%												
RDC (mΩ)	410 (MAX)																
IDC (mA)	800 (MAX)																
TEST CONDITION	1KHz / 0.25V																
<p>APPROVED BY</p> 																	
		<p>CHECKED BY</p> 															
				<p>DRAWN BY</p> 													

CORE MASTER ENTERPRISE CO., LTD.

TEL:886-2-8919-1288 FAX:886-2-8919-1298 WEB:www.coremaster.com.tw

TEST DATA

CUSTOMER:				DATE:					
PART NO: RC0608U-101M				DWG.NO: RB3604211					
CUSTOMER PART NO :				CUST.DWG.NO :					
TEST CONDITION: 1KHz / 0.25V				DIMENSION (UNIT : mm)					
ITEM	L (uH)	RDC (mΩ)	IDC (mA)	A	B	C	D	E	
SPEC	100 ± 20%	410 (MAX)	800 (MAX)	9.0 (MAX)	11.0 (MAX)	10.0 (MIN)	3.0 (REF)	0.6 ± 0.1	
1	100.9	304	OK	7.0	9.3	15.5	2.9	0.6	
2	101.2	302	OK	7.3	9.5	15.3	3.0	0.6	
3	100.7	305	OK	7.1	9.4	15.4	2.9	0.6	
4	100.9	304	OK	7.0	9.3	15.5	2.9	0.6	
5	100.9	303	OK	7.3	9.3	15.3	3.1	0.6	
6	99.0	304	OK	7.2	9.4	15.4	2.9	0.6	
7	100.5	303	OK	7.1	9.5	15.3	2.9	0.6	
8	102.1	302	OK	7.0	9.3	15.3	3.1	0.6	
9	100.8	305	OK	7.1	9.4	15.4	3.0	0.6	
10	101.0	304	OK	7.0	9.5	15.3	2.9	0.6	
\bar{X}	100.8	303.6		7.11	9.39	15.37	2.96	0.6	
R	3.1	3		0.3	0.2	0.2	0.2	0	
TEST INSTRUMENTS CH101 CH301A						APPROVED BY			
						CHECKED BY			
						DRAWN BY			

CORE MASTER ENTERPRISE CO., LTD.

TEL:886-2-8919-1288 FAX:886-2-8919-1298 WEB:www.coremaster.com.tw