

Euromas II | Enclosure, ABS



ET 236 LP

Order no.: 63236300

* = Available on request.

Characteristics

Dimensions

240 x 80 x 80 mm

Colour of enclosure group

Light grey

Protection class

IP 65

NEMA

3

Enclosure Material


ABS, PC (UV stabilised); seal made of CR; for details see Technical Information

Scope of delivery


Lid and base, self-tapping coarse-pitch thread lid screws made of V2A

02.09.2024

Product drawing



Enclosure concept





Note

Material shrinkage may result in ABS enclosures being approx. 0.1 – 0.25 % larger.

Important!

To compensate for pressure when temperatures change and cause moisture in the enclosure, we recommend that you use a [pressure compensation](#) element.

In order to ensure that you can determine **the correct quantity of elements for your application**, we are providing you here with a DAE calculator.

[» Additional information](#)

Technical documentation / Downloads

Technical drawings

3D product data in STEP format:

63236300 ET-236-LP.stp
(4.8 MB)

Drawing for mechanical processing:

63236300 ET-236-LP-G.dxf
(2.2 MB)

Milling contours are shown here as a DXF file. (Sub D, USB, HDMI, cable glands, ...)

Product drawing in PDF format:

63236300 ET-236-LP.pdf
(93.4 KB)

Product drawing in DXF format:

63236300 ET-236-LP.dxf
(955.5 KB)

Product information

euomas-ii en.pdf

(1.0 MB)

Matching accessories




DIN rail acc. to DIN EN 60715 G 32

22322301

[TS 32.230.1](#)

For EM/ET 224, EM/ET 233-236,
EM/ET 239-242, B 2617.., B
2618, B 2706 (accessories)



DIN rail acc. to DIN EN 60715 TH 15

22152301 **TS 15.230.1** For EM/ET 224, EM/ET 233-236,
EM/ET 239-242, B 2617.., B
2613.., B 2736.. (crosswise)



DIN rail acc. to DIN EN 60715 TH 35

22352301 **TS 35.230.1** For EM/ET 224, EM/ET 233-236,
EM/ET 239-242, B 2617.., B
2613.., B 2736.. (crosswise)



Mast mounting, stainless steel V2A, uncoated

96500080 **MH 080**
96500265 **MH 265**



Mounting panels, laminated paper

22224001 **M** For EM/ET 224, EM/ET 236**



Rubber feet, self-adhesive

22009000 **GF** Polyurethane, 65-75 Shore Black



Screw covers

22080000 **EM-SA**



Wall brackets, screw-on at rear

22010000 **EM-WL**