



SPECIFICATION FOR APPROVAL

CUSTOMER:		DATE:
PART NO: SPI0703-2R2M		DWG.NO: MY8606151
CUSTOMER PART NO:		CUST.DWG.NO:
(1) DIMENSION(UNIT: mm) 		A 7.0 ± 0.2 m/m
		C 3.2 ± 0.2 m/m
		D 4.9 (REF) m/m
		E 2.0 (REF) m/m
		F m/m
		G 4.9 (REF) m/m
		H 2.2 (REF) m/m
		L 7.9 (REF) m/m
		(2)ELECTRICAL REQUIREMENTS
L (uH)	2.2 ± 20%	
RDC (Ω)	0.03 (MAX)	
IDC (A)	4.6 (MAX)	
TEST CONDITION	1KHZ / 1V	
(4)MATERIAL LIST		
NO/ITEM	MATERIAL	SUPPLIER
CORE	DR5.4×2.6B2.5 F1.4 RI6.8×5.8×2.3 或同等級	昱欣
WIRE TYPE	2UEW φ 0.25m/m×2P 或同等級	上海中馬
WINDING	6.5 TS (REF)	
BASE	C-0034-1 或同等級	碩誠
		APPROVED BY 吳載敏
		CHECKED BY 張明德
		DRAWN BY AMY

CORE MASTER ENTERPRISE CO., LTD.

TEL:886-2-8919-1288 FAX:886-2-8919-1298 WEB:www.coremaster.com.tw

TEST DATA

CUSTOMER:				DATE:			
PART NO: SPI0703-2R2M				DWG.NO: MY8606151			
CUSTOMER PART NO :				CUST.DWG.NO :			
TEST CONDITION: 1KHZ / 1V				DIMENSION (UNIT : mm)			
ITEM	L (uH)	RDC (Ω)	IDC (A)	A	C		
SPEC	2.2 ± 20%	0.03 (MAX)	4.6 (MAX)	7.0 ± 0.2	3.2 ± 0.2		
1	2.11	0.021	OK	6.99	3.12		
2	2.09	0.019	OK	6.99	3.07		
3	2.18	0.021	OK	7.00	3.12		
4	2.20	0.020	OK	7.00	3.13		
5	2.27	0.021	OK	7.00	3.02		
6	2.15	0.022	OK	7.07	3.05		
7	2.23	0.023	OK	7.12	3.05		
8	2.25	0.022	OK	7.09	3.21		
9	2.13	0.021	OK	7.03	3.05		
10	2.24	0.023	OK	6.98	3.10		
\bar{X}	2.19	0.021		7.03	3.09		
R	0.18	0.004		0.14	0.19		
TEST INSTRUMENTS HIOKI3532-50 LCR METER VR-131 RDC METER VR116+VR7220 BA/S CURRENT				APPROVED BY 吳載敏			
				CHECKED BY 張明德			
				DRAWN BY AMY			


CORE MASTER ENTERPRISE CO., LTD.

TEL:886-2-8919-1288 FAX:886-2-8919-1298 WEB:www.coremaster.com.tw

INDUCTANCE VS CURRENT

CUSTOMER:	DATE:
PART NO: SPI0703-2R2M	DWG.NO: MY8606151
CUSTOMER PART NO :	CUST.DWG.NO :

CURRENT VS INDUCTANCE					
IDC(A)	INDUCTION(uH)				
0	2.13				
2.0	2.10				
4.0	1.98				
4.6	1.78				
5.2	1.63				



APPROVED BY 吳載敏	CHECKED BY 張明德	DRAWN BY AMY
--------------------	-------------------	-----------------

CORE MASTER ENTERPRISE CO., LTD.

TEL:886-2-8919-1288 FAX:886-2-8919-1298 WEB:www.coremaster.com.tw