

SCREWDRIVERS

Chubby screwdrivers and Cross screwdrivers

Blade:

chrome vanadium, hardened over its full length, nickel-plated

Heft:

impact-resistant, transparent plastic

No.	Size	Blade-length mm	Blade Ø mm	Handle size mm	Weight g
4-261	01	25	4.5	55 x 30	30
4-262	02	25	6.0	55 x 30	35

No.	Blade-length mm	Blade-width mm	Blade-thickness	Handle size mm	Weight g
4-321	25	4.0	0.8	55 x 30	30
4-322	25	6.5	1.2	55 x 30	35

Miniature screwdriver

Blade:

Special steel, nickel-plated

Heft:

transparent yellow plastic

4-301	40	1.8	0.5	45 x 9	3
-------	----	-----	-----	--------	---

Screwdriver for grub screws

Blade:

chrome vanadium, plane-parallel, nickel-plated

Heft:

impact-resistant, transparent yellow plastic

4-311	80	2.8	0.6	60 x 11	12
-------	----	-----	-----	---------	----

Installation screwdriver

Blade:

Special steel, vernickelt

Heft:

multi component handle

4-331	65	6.0	1.0	100 x 21	40
-------	----	-----	-----	----------	----

VDE-voltage testers, 220 - 250 V, to VDE regulations 0426

Blade:

chrome vanadium, nickel-plated, fully insulated

Heft:

transparent plastic

4-343 VDE	60	3.0	0.7	76 x 15	15
4-344 VDE	100	3.5	0.7	92 x 18	31

Offset screwdrivers

Material:

chrome vanadium, nickel-plated, plastic handle

No.	Total-length mm	Blade-width mm	Blade-thickness mm	Blade Ø mm	Weight g
4-351	100	4.0	0.65	4.5	12
4-352	125	6.0	0.80	6.0	32

- 4-820

60-piece miniature screwdriver stand

Content:

60 screwdrivers with tool steel blades, 40 x 1.8 mm and transparent yellow plastic handles

Weight:

235 g

WATCHMAKER'S SCREWDRIVERS

Watchmaker's screwdrivers

Blade:

chrome vanadium, burnished

Handle:

metal, nickel-plated, with swivel top

No.	Blade length mm	Blade width mm	total length mm	Weight g
4-371	14	1.0	85	7
4-372	18	1.5	90	7
4-373	21	2.0	105	18
4-374	24	2.5	108	18
4-375	24	3.0	120	37
4-376	27	3.5	123	38

Cross-recess watchmaker's screwdrivers

Blade:

chrome vanadium, burnished

Handle:

metal, nickel-plated, with swivel top

No.	Size	Blade length mm	total length mm	Weight g
4-364	000	21	92	9
4-366	00	21	92	23
4-367	0	21	105	33
4-368	1	21	117	37

- 4-360

3-piece watchmaker's screwdriver set in a plastic wallet

Content:

2 watchmaker's screwdrivers No. 4-372 + 4-374, 1 cross-recess watchmaker's screwdriver No. 4-367

Weight:

360g

- 4-365

3-piece watchmaker's screwdriver set in a plastic wallet

Content:

3 cross-recess watchmaker's screwdrivers No. 4-366, 4-367 + 4-368

Weight:

100g

- 4-370

6-piece watchmaker's screwdriver set in a metal case

- Content:

6 watchmaker's screwdrivers No. 4-371 - 4-376

Weight:

480g

- 4-379



6-piece watchmaker's screwdriver set in a wallet

Content:

6 watchmakers screwdrivers No. 4-371 - 4-376

Weight:

165g



Watchmakers screwdrivers

Blade: Chrom-Vanadium, burnished  
Handle: black plastic, with swivel top and colour coding

No.	Blade length mm	Blade width mm	total length mm	Weight g
4-381	18	1.0	104	5
4-382	18	1.5	104	6
4-383	18	2.0	104	6
4-384	18	2.5	104	6
4-385	18	3.0	104	6

4-380 5-piece watchmaker's screwdriver set  
in a plastic box

Content: 5 watchmakers screwdrivers No. 4-381 - 4-385,  
Weight: 64g

Watchmaker's storage screwdrivers  
with interchangeable blades

Blades: chrome vanadium, burnished  
Handle: metal magazine, nickel-plated, with swivel top

4-391 Watchmaker's screwdriver  
with 4 bits 1.5 – 2.0 – 2.5 – 3.0 mm blade width, in magazine  
Weight: 31 g


4-392 Watchmaker's screwdriver  
with 4 bits 1.5 – 2.0 – 2.5 – 3.0 mm blade width  
and 1 cross-recess blade size 0, in magazine  
Weight: 32 g

4-393 Watchmaker's screwdriver magazine  
with 3 bits 1.5 – 2.0 – 2.5 mm blade width and  
2 cross-recess blades Size 00 and 000, in magazine  
Weight: 32 g



RETAINING SCREWDRIVERS

for inserting slotted screws into places difficult to reach



"TRIC" is especially easy to use. Push lever A as far as the stop with your thumb; insert blade B into the screw slot and release lever A. The screw is tight and can now be inserted into the hole. Release the holder by pressing lever A lightly in the same direction.

Special advantage:  
Projecting controls do not hamper vision  
**Do not use for tightening or loosen screws!**

Blade: special steel, plane-parallel, nickel-plated  
Handle: impact-resistant, transparent yellow plastic

No.	Blade-length mm	Blade-width mm	Blade-Ø mm	Handle size mm	Weight g
4-407	110	4.0	4.0	70 x 15	25
4-408	200	4.0	4.0	70 x 15	35

Retaining screwdrivers

or inserting and tightening slotted screws  
Blade: chrome vanadium, burnished, insulated  
Heft: impact-resistant, black plastic

No.	Blade-length mm	Blade-width mm	Blade-thickness mm	Handle size mm	Weight g
4-431	100	3.0	0.5	90 x 18	35
4-432	125	4.0	0.6	100 x 22	65
4-433	150	5.0	0.8	105 x 24	93

Retaining screwdrivers

for inserting and tightening cross-recess screws  
Blade: chrome vanadium, burnished, insulated  
Heft: impact-resistant, black plastic

No.	Size	Blade-length mm	Blade-Ø mm	Handle size mm	Weight g
4-436	0	125	4.0	100 x 22	63
4-437	1	150	5.0	105 x 24	93
4-438	2	175	6.0	105 x 24	117



WRENCHES, SOCKET WRENCHES  
SPECIAL WRENCHES

Socket wrenches without handles with tangs for interchangeability  
Material: chrome vanadium, nickel-plated

No.	Schlüsselweite mm	Bladlength mm	Weight g
6-201	4,0	140	30
6-202	5,5	140	35
6-203	6,0	140	35
6-204	7,0	140	40
6-205	8,0	140	40
6-206	9,0	140	43
6-207	10,0	140	45

6-200 8-piece socket wrench in a plastic wallet

Content: 7 socket wrenches No. 6-201 – 6-207  
1 plastic spring handle. 4-775  
Weight: 310 g

6-210 6-piece socket wrench set in a plastic wallet

Content: 5 socket wrenches No. 6-201 – 6-205  
1 plastic spring handle No. 4-775  
Weight: 220 g

Sets of socket wrenches in metal cases

Type: 1/4 square drive, chrome vanadium, chrome-plated

6-320 15-socket wrench set in metal case

Content: 11 sockets: A / F 4 - 4.5 - 5 - 5.5 - 6 - 7 - 8 -  
9 - 10 - 11 - 13 mm, ratchet, rigid extension,  
socket wrench holder, sliding tee bar, universal joint  
Weight: 870 g

6-500 5-piece double open-ended wrench set

Content: 5 double open-ended wrenches  
6 x 7 – 8 x 9 – 10 x 11 – 12 x 13 and 14 x 17 mm  
Weight: 370 g

6-550 5-piece ring wrench set double-offset

Content: 5 ring wrenches 6 x 7 – 8 x 9 – 10 x 11 – 12 x 13  
and 14 x 17 mm  
Weight: 630 g



WRENCHES, SOCKET WRENCHES,  
SPECIAL WRENCHES

6-600 7-piece combination wrench set


Content: 7 combination wrenches 6 - 7 - 8 - 9 - 10 - 11 und 13 mm  
Weight: 290 g

6-550 5-piece ring wrench set 15° angled

Content: 5 ring wrenches 6 x 7 - 8 x 9 - 10 x 11 - 12 x 13  
and 14 x 15 - 17 x 19 mm  
Weight: 210 g

6-750 6-piece extra slim double open-ended wrench set in plastic case

Material: chrome vanadium, bright nickel-plated  
Content: 4 double open-ended wrenches 3.0 x 3.5 - 4.0 x 4.5 - 5.0 x 5,5 - 6.0 x  
6.5 mm  
Material thickness 1.5 mm, 120 mm long  
double open-ended wrenches 7 x 8 and 9 x 10 mm  
material thickness 2 mm, 125 mm long  
Weight: 85 g




Adjustable wrenches

Material: chrome vanadium, chrome-plated

No.	Jaw opening mm	Total length mm	Jaw length mm	Weight g
6-771	0 - 12	100	12	55
6-772	0 - 18	150	22	135
6-773	0 - 25	200	25	265

6-950 8-piece ballpoint wrench key set in a plastic wallet

Material: chrome vanadium, burnished, offset model  
Content: 8 wrench keys 1.5 - 2.0 - 2.5 - 3.0 - 4.0 - 5.0 - 6.0 - 8.0 mm  
Weight: 200 g








6-995

8-piece TORX-wrench keys with bore-hole

Material: chrome vanadium, burnished, offset model

Content: 8 TORX wrench keys T9, T10, T15, T20, T25, T27, T30, T40

Weight: 205 g




Wrench keys

angle-shaped screwdrivers for hex socket-head screws.

Material: special steel, nickel-plated



No.	A/F mm	No.	A/F		Leg length		Weight g
			inches	≈ mm	A	B	
6-811	0.89	-	-	-	30 x 10		1
6-812	1.0	6-851	3/64"	1.19	46 x 10		1
6-813	1.5	6-852	1/16"	1.59	50 x 12		1
6-814	2.0	6-853	5/64"	1.98	55 x 15		2
6-815	2.5	6-854	3/32"	2.38	60 x 18		3
6-816	3.0	6-855	1/8"	3.18	65 x 20		5
6-817	3.5	6-856	9/64"	3.56	68 x 22		8
6-818	4.0	6-857	5/32"	3.97	72 x 25		11
6-819	4.5	6-858	3/16"	4.76	75 x 27		13
6-821	5.0	-	-	-	80 x 28		19
6-822	5.5	6-859	7/32	5.56	85 x 30		22
6-823	6.0	6-861	1/4	6.35	90 x 32		28
6-825	7.0	6-862	9/32	7.14	95 x 34		41
6-826	8.0	6-863	5/16	7.94	100 x 36		60
6-827	9.0	6-864	11/32	8.73	105 x 38		81
6-828	10.0	6-865	3/8	9.53	112 x 40		105



6-810

8-piece wrench key set

offset model, on ring

Content: 8 wrench keys 2.0 – 2.5 – 3.0 – 4.0 – 5.0 – 6.0 – 8.0 – 10.0 mm

Weight: 255 g

6-820

8-piece wrench key set

offset model, in a plastic wallet

Content: 8 wrench keys 1.5 – 2.0 – 2.5 – 3.0 – 4.0 – 5.0 – 5.5 – 6.0 mm

Weight: 100 g

