

SCREWDRIVERS

Chubby screwdrivers and Cross screwdrivers

Blade:

chrome vanadium, hardened over its full length, nickel-plated

Heft:

impact-resistant, transparent plastic

No.	Size	Blade-length mm	Blade Ø mm	Handle size mm	Weight g
4-261	01	25	4.5	55 x 30	30
4-262	02	25	6.0	55 x 30	35

No.	Blade-length mm	Blade-width mm	Blade-thickness	Handle size mm	Weight g
4-321	25	4.0	0.8	55 x 30	30
4-322	25	6.5	1.2	55 x 30	35

Miniature screwdriver

Blade:

Special steel, nickel-plated

Heft:

transparent yellow plastic

4-301	40	1.8	0.5	45 x 9	3
-------	----	-----	-----	--------	---

Screwdriver for grub screws

Blade:

chrome vanadium, plane-parallel, nickel-plated

Heft:

impact-resistant, transparent yellow plastic

4-311	80	2.8	0.6	60 x 11	12
-------	----	-----	-----	---------	----

Installation screwdriver

Blade:

Special steel, vernickelt

Heft:

multi component handle

4-331	65	6.0	1.0	100 x 21	40
-------	----	-----	-----	----------	----

VDE-voltage testers, 220 - 250 V, to VDE regulations 0426

Blade:

chrome vanadium, nickel-plated, fully insulated

Heft:

transparent plastic

4-343 VDE	60	3.0	0.7	76 x 15	15
4-344 VDE	100	3.5	0.7	92 x 18	31

Offset screwdrivers

Material:

chrome vanadium, nickel-plated, plastic handle

No.	Total-length mm	Blade-width mm	Blade-thickness mm	Blade Ø mm	Weight g
4-351	100	4.0	0.65	4.5	12
4-352	125	6.0	0.80	6.0	32

4-820 60-piece miniature screwdriver stand

Content:

60 screwdrivers with tool steel blades, 40 x 1.8 mm and transparent yellow plastic handles

Weight:

235 g

WATCHMAKER'S SCREWDRIVERS

Watchmaker's screwdrivers

Blade:

chrome vanadium, burnished

Handle:

metal, nickel-plated, with swivel top

No.	Blade length mm	Blade width mm	total length mm	Weight g
4-371	14	1.0	85	7
4-372	18	1.5	90	7
4-373	21	2.0	105	18
4-374	24	2.5	108	18
4-375	24	3.0	120	37
4-376	27	3.5	123	38

Cross-recess watchmaker's screwdrivers

Blade:

chrome vanadium, burnished

Handle:

metal, nickel-plated, with swivel top

No.	Size	Blade length mm	total length mm	Weight g
4-364	000	21	92	9
4-366	00	21	92	23
4-367	0	21	105	33
4-368	1	21	117	37

4-360 3-piece watchmaker's screwdriver set in a plastic wallet

Content:

2 watchmaker's screwdrivers No. 4-372 + 4-374, 1 cross-recess watchmaker's screwdriver No. 4-367

Weight:

360g

4-365 3-piece watchmaker's screwdriver set in a plastic wallet

Content:

3 cross-recess watchmaker's screwdrivers No. 4-366, 4-367 + 4-368

Weight:

100g

4-370 6-piece watchmaker's screwdriver set in a metal case

Content:

6 watchmaker's screwdrivers No. 4-371 - 4-376

Weight:

480g



4-379 6-piece watchmaker's screwdriver set in a wallet

Content:

6 watchmakers screwdrivers No. 4-371 - 4-376

Weight:

165g



Watchmakers screwdrivers

Blade: Chrom-Vanadium, burnished
Handle: black plastic, with swivel top and colour coding

No.	Blade length mm	Blade width mm	total length mm	Weight g
4-381	18	1.0	104	5
4-382	18	1.5	104	6
4-383	18	2.0	104	6
4-384	18	2.5	104	6
4-385	18	3.0	104	6

4-380 5-piece watchmaker's screwdriver set
in a plastic box

Content: 5 watchmakers screwdrivers No. 4-381 - 4-385,
Weight: 64g

Watchmaker's storage screwdrivers
with interchangeable blades

Blades: chrome vanadium, burnished
Handle: metal magazine, nickel-plated, with swivel top

4-391 Watchmaker's screwdriver
with 4 bits 1.5 – 2.0 – 2.5 – 3.0 mm blade width, in magazine
Weight: 31 g


4-392 Watchmaker's screwdriver
with 4 bits 1.5 – 2.0 – 2.5 – 3.0 mm blade width
and 1 cross-recess blade size 0, in magazine
Weight: 32 g

4-393 Watchmaker's screwdriver magazine
with 3 bits 1.5 – 2.0 – 2.5 mm blade width and
2 cross-recess blades Size 00 and 000, in magazine
Weight: 32 g



RETAINING SCREWDRIVERS

for inserting slotted screws into places difficult to reach



"TRIC" is especially easy to use. Push lever A as far as the stop with your thumb; insert blade B into the screw slot and release lever A. The screw is tight and can now be inserted into the hole. Release the holder by pressing lever A lightly in the same direction.

Special advantage:
Projecting controls do not hamper vision
Do not use for tightening or loosen screws!

Blade: special steel, plane-parallel, nickel-plated
Handle: impact-resistant, transparent yellow plastic

No.	Blade-length mm	Blade-width mm	Blade-Ø mm	Handle size mm	Weight g
4-407	110	4.0	4.0	70 x 15	25
4-408	200	4.0	4.0	70 x 15	35

Retaining screwdrivers

or inserting and tightening slotted screws
Blade: chrome vanadium, burnished, insulated
Heft: impact-resistant, black plastic

No.	Blade-length mm	Blade-width mm	Blade-thickness mm	Handle size mm	Weight g
4-431	100	3.0	0.5	90 x 18	35
4-432	125	4.0	0.6	100 x 22	65
4-433	150	5.0	0.8	105 x 24	93

Retaining screwdrivers

for inserting and tightening cross-recess screws
Blade: chrome vanadium, burnished, insulated
Heft: impact-resistant, black plastic

No.	Size	Blade-length mm	Blade-Ø mm	Handle size mm	Weight g
4-436	0	125	4.0	100 x 22	63
4-437	1	150	5.0	105 x 24	93
4-438	2	175	6.0	105 x 24	117

